


Accepted Manuscript

Adjuvant Stereotactic Radiosurgery Reduces Need for Re-treatments in Patients with Meningioma Residuals

Arvid Frostell, M.D., Ph.D. student, Ramil Hakim, Ph.D. student, Ernest Dodoo, M.D., Georges Sinclair, M.D, Marcus Ohlsson, M.D., Ph.D, Petter Förander, M.D., Ph.D, Biljana Milovac, Research Assistant, Lou Brundin, M.D., Ph.D, Mikael Svensson, M.D., Ph.D



PII: S1878-8750(15)01480-1

DOI: [10.1016/j.wneu.2015.10.062](https://doi.org/10.1016/j.wneu.2015.10.062)

Reference: WNEU 3357

To appear in: *World Neurosurgery*

Received Date: 26 June 2015

Revised Date: 9 October 2015

Accepted Date: 12 October 2015

Please cite this article as: Frostell A, Hakim R, Dodoo E, Sinclair G, Ohlsson M, Förander P, Milovac B, Brundin L, Svensson M, Adjuvant Stereotactic Radiosurgery Reduces Need for Re-treatments in Patients with Meningioma Residuals, *World Neurosurgery* (2015), doi: 10.1016/j.wneu.2015.10.062.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

TITLE PAGE**FULL TITLE:**

Adjuvant Stereotactic Radiosurgery Reduces Need for Re-treatments in Patients with Meningioma Residuals

RUNNING HEAD:

Stereotactic Radiosurgery – Near-Total Meningioma Resection

AUTHORS' FULL NAMES, DEGREES, & AFFILIATIONS:

Arvid Frostell (M.D., Ph.D. student)¹, Ramil Hakim (Ph.D. student)¹, Ernest Dodoo (M.D.)^{1,2}, Georges Sinclair (M.D.)^{1,2}, Marcus Ohlsson (M.D., Ph.D.)^{1,4}, Petter Förander (M.D., Ph.D.)^{1,2}, Biljana Milovac (Research Assistant)¹, Lou Brundin (M.D., Ph.D.)^{1,3}, Mikael Svensson (M.D., Ph.D.)^{1,2}.

¹*Department of Clinical Neuroscience, Karolinska Institutet, Stockholm, Sweden; Department of*
²*Neurosurgery, ³Neurology, and ⁴Neuroradiology, Karolinska University Hospital, Stockholm, Sweden.*

Address for all authors: Karolinska University Hospital, Campus Solna, Neurocentrum, 171 76 Stockholm

CORRESPONDING AUTHOR CONTACT INFORMATION:

Name: Mikael Svensson
Email: mikael.svensson@ki.se
Phone: +46739661345
Address: Karolinska University Hospital, Dept. of Neurosurgery (R2:03). Address also applicable for all co-authors.

FUNDING

This study was supported by the Torsten and Ragnar Söderberg Foundation, Swedish Research Council and Karolinska Institutet.

CONFLICT OF INTEREST

The authors declare no conflict of interest.

Keywords: Adjuvant stereotactic radiosurgery, Meningioma in proximity to a venous structure, Tumor residual

¹ *Abbreviations used in this paper:* SRS = Stereotactic Radiosurgery, aSRS = adjuvant Stereotactic Radiosurgery, RTR = Radical Tumor Resection, NTR= Near-Total Resection, NTR+aSRS = NTR followed by aSRS, NTR-aSRS = NTR followed by no adjuvant treatment.

Download English Version:

<https://daneshyari.com/en/article/6044288>

Download Persian Version:

<https://daneshyari.com/article/6044288>

[Daneshyari.com](https://daneshyari.com)