

Accepted Manuscript

Utility of nonblood-based risk assessment for predicting type 2 diabetes mellitus: A meta-analysis

Sakiko Yoshizawa RD, MSc, Satoru Kodama MD, PhD, Kazuya Fujihara MD, PhD, Hajime Ishiguro MD, Masahiro Ishizawa MD, Yasuhiro Matsubayashi MD, Satoshi Matsunaga MD, Takaho Yamada MD, PhD, Hitoshi Shimano MD, PhD, Kiminori Kato MD, PhD, Osamu Hanyu MD, PhD, Hirohito Sone MD, PhD, FACP

PII: S0091-7435(16)30202-X
DOI: doi: [10.1016/j.ypmed.2016.07.026](https://doi.org/10.1016/j.ypmed.2016.07.026)
Reference: YPMED 4717

To appear in: *Preventive Medicine*

Received date: 10 March 2016
Revised date: 8 July 2016
Accepted date: 25 July 2016

Please cite this article as: Yoshizawa Sakiko, Kodama Satoru, Fujihara Kazuya, Ishiguro Hajime, Ishizawa Masahiro, Matsubayashi Yasuhiro, Matsunaga Satoshi, Yamada Takaho, Shimano Hitoshi, Kato Kiminori, Hanyu Osamu, Sone Hirohito, Utility of nonblood-based risk assessment for predicting type 2 diabetes mellitus: A meta-analysis, *Preventive Medicine* (2016), doi: [10.1016/j.ypmed.2016.07.026](https://doi.org/10.1016/j.ypmed.2016.07.026)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Utility of nonblood-based risk assessment for predicting type 2 diabetes mellitus: A
meta-analysis**

Sakiko Yoshizawa, RD, MSc¹; Satoru Kodama, MD, PhD²; Kazuya Fujihara, MD, PhD¹;
Hajime Ishiguro, MD¹; Masahiro Ishizawa, MD¹; Yasuhiro Matsubayashi, MD¹; Satoshi
Matsunaga, MD¹; Takaho Yamada, MD, PhD¹; Hitoshi Shimano, MD, PhD³; Kiminori Kato,
MD, PhD²; Osamu Hanyu, MD, PhD¹; Hirohito Sone, MD, PhD, FACP¹

¹Niigata University Faculty of Medicine, Department of Internal Medicine, Niigata, Japan;

²Niigata University Faculty of Medicine, Department of Laboratory Medicine and Clinical
Epidemiology for Prevention of Noncommunicable Diseases, Niigata, Japan; ³University
of Tsukuba, Institute of Clinical Medicine, Internal Medicine, Ibaraki, Japan

Running title: Nonblood-based risk assessment of diabetes

Word count for abstract: 196 words

Word count for main text: 3229 words, 2 figures and 2 tables

Key words: Type 2 diabetes mellitus; Meta-analysis; Mass screening; Risk assessment

***Corresponding author.** Department of Laboratory Medicine and Clinical Epidemiology
for Prevention of Noncommunicable Diseases, Niigata University Faculty of Medicine,
1-757 Asahimachi Cyuou-ku, Niigata, Niigata, Japan, 951-8510, Phone: +81-25-368-9024,
Fax: +81-25-368-9024, Email: ybbkodama@gmail.com

Download English Version:

<https://daneshyari.com/en/article/6045892>

Download Persian Version:

<https://daneshyari.com/article/6045892>

[Daneshyari.com](https://daneshyari.com)