

## Accepted Manuscript

Title: The Influence of Rifamycin Decontamination on Incorporation of Autologous Onlay Bone Grafts in Rats: A Histometric and Immunohistochemical Evaluation

Authors: Ufuk Taşdemir DDS, PHD İlker Özeç DDS, PHD Hasan Esen MD, PHD M.Cihat Avunduk MD, PHD



PII: S0003-9969(14)00322-7  
DOI: <http://dx.doi.org/doi:10.1016/j.archoralbio.2014.12.010>  
Reference: AOB 3310

To appear in: *Archives of Oral Biology*

Received date: 16-6-2014  
Revised date: 3-12-2014  
Accepted date: 12-12-2014

Please cite this article as: Taşdemir U, Özeç İ, Esen H, Avunduk MC, The Influence of Rifamycin Decontamination on Incorporation of Autologous Onlay Bone Grafts in Rats: A Histometric and Immunohistochemical Evaluation, *Archives of Oral Biology* (2014), <http://dx.doi.org/10.1016/j.archoralbio.2014.12.010>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Highlights

- Decontamination solution should considered effect on bone healing
- Rifamicyn suitable solution for bone decontamination
- BMP-2 expression was induced by rifamycin solution.

Download English Version:

<https://daneshyari.com/en/article/6051044>

Download Persian Version:

<https://daneshyari.com/article/6051044>

[Daneshyari.com](https://daneshyari.com)