

Accepted Manuscript

Title: Agreement of different methods for assessing sleep characteristics: a comparison of two actigraphs, wrist and hip placement, and self-report with polysomnography

Author: Melanie Zinkhan, Klaus Berger, Sabrina Hense, Maren Nagel, Anne Obst, Beate Koch, Thomas Penzel, Ingo Fietze, Wolfgang Ahrens, Peter Young, Svenja Happe, Jan W. Kantelhardt, Alexander Kluttig, Andrea Schmidt-Pokrzywniak, Frank Pillmann, Andreas Stang

PII: S1389-9457(14)00223-8
DOI: <http://dx.doi.org/doi:10.1016/j.sleep.2014.04.015>
Reference: SLEEP 2469

To appear in: *Sleep Medicine*

Received date: 5-2-2014
Revised date: 29-3-2014
Accepted date: 22-4-2014

Please cite this article as: Melanie Zinkhan, Klaus Berger, Sabrina Hense, Maren Nagel, Anne Obst, Beate Koch, Thomas Penzel, Ingo Fietze, Wolfgang Ahrens, Peter Young, Svenja Happe, Jan W. Kantelhardt, Alexander Kluttig, Andrea Schmidt-Pokrzywniak, Frank Pillmann, Andreas Stang, Agreement of different methods for assessing sleep characteristics: a comparison of two actigraphs, wrist and hip placement, and self-report with polysomnography, *Sleep Medicine* (2014), <http://dx.doi.org/doi:10.1016/j.sleep.2014.04.015>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



M. Zinkhan et al.

Original Article

Agreement of different methods for assessing sleep characteristics: a comparison of two actigraphs, wrist and hip placement, and self-report with polysomnography

Melanie Zinkhan^a, Klaus Berger^b, Sabrina Hense^c, Maren Nagel^b, Anne Obst^d, Beate Koch^d, Thomas Penzel^e, Ingo Fietze^e, Wolfgang Ahrens^c, Peter Young^f, Svenja Happe^{g,h}, Jan W. Kantelhardtⁱ, Alexander Kluttig^j, Andrea Schmidt-Pokrzywniak^a, Frank Pillmann^k, Andreas Stang^{a,m}

^a*Institute of Clinical Epidemiology, Martin-Luther-University Halle-Wittenberg, Halle, Germany*

^b*Institute of Epidemiology and Social Medicine, Westphalian Wilhelms-University Münster, Münster, Germany*

^c*Leibniz Institute for Prevention Research and Epidemiology – BIPS GmbH, Bremen, Germany*

^d*Department of Internal Medicine B, Ernst-Moritz-Arndt University Greifswald, Greifswald, Germany*

^e*Interdisciplinary Center of Sleep Medicine, Charité University Hospital, Berlin, Germany*

^f*Department of Neurology – Sleep Medicine and Neuromuscular Disease, Westphalian Wilhelms-University Münster, Münster, Germany*

^g*Department of Clinical Neurophysiology, Klinikum Bremen-Ost, Bremen, Germany*

^h*Department of Neurology, Klinik Maria Frieden, Telgte, Germany*

ⁱ*Institute of Physics, Martin-Luther-University Halle-Wittenberg, Halle, Germany*

^j*Institute of Medical Epidemiology, Biostatistics and Informatics, Martin-Luther-University Halle-Wittenberg, Halle, Halle, Germany*

^k*Department of Psychiatry and Psychotherapy, Martin-Luther-University Halle-Wittenberg, Halle, Germany*

^m*School of Public Health, Department of Epidemiology, Boston University, Boston, USA*

*Corresponding author. Address: Institute of Clinical Epidemiology, Martin-Luther-University of Halle-Wittenberg, Magdeburger Str. 8, 06112 Halle. Tel.: +49-345-557-1380; fax: +49-345-557-3565.

E-mail address: melanie.zinkhan@uk-halle.de (M. Zinkhan).

Highlights

- Agreement between actigraphy and polysomnography depends on placement of the device.

Download English Version:

<https://daneshyari.com/en/article/6060859>

Download Persian Version:

<https://daneshyari.com/article/6060859>

[Daneshyari.com](https://daneshyari.com)