Accepted Manuscript

Title: Dreaming furiously? a sleep laboratory study on the dream content of people with parkinson's disease and with or without rapid eye movement sleep behavior disorder

Author: Katja Valli, Birgit Frauscher, Taina Peltomaa, Viola Gschliesser, Antti Revonsuo, Birgit Högl

PII: S1389-9457(15)00028-3

DOI: http://dx.doi.org/doi: 10.1016/j.sleep.2014.10.014

Reference: SLEEP 2632

To appear in: Sleep Medicine

Received date: 3-7-2014 Revised date: 8-10-2014 Accepted date: 15-10-2014



Please cite this article as: Katja Valli, Birgit Frauscher, Taina Peltomaa, Viola Gschliesser, Antti Revonsuo, Birgit Högl, Dreaming furiously? a sleep laboratory study on the dream content of people with parkinson's disease and with or without rapid eye movement sleep behavior disorder, *Sleep Medicine* (2015), http://dx.doi.org/doi: 10.1016/j.sleep.2014.10.014.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Dreaming furiously? A sleep laboratory study on the dream content of people with Parkinson's disease and with or without rapid eye movement sleep behavior disorder

Comment [JM1]: Authors: i changed this title a little is it OK?

Katja Valli ^{a,b,*}, Birgit Frauscher ^c, Taina Peltomaa ^a, Viola Gschliesser ^c, Antti Revonsuo ^{a,b}, Birgit Högl ^c

^aCentre for Cognitive Neuroscience, Turku Brain and Mind Center, Department of Psychology, University of Turku, Turku, Finland

E-mail address: katval@utu.fi (Katja Valli)

Highlights

- The dreams of people with Parkinson's disease (PD) and with/without rapid eye movement sleep behavior disorder (RBD) were collected in a sleep laboratory.
- Analysis for action-filledness, vividness, emotionality and threats was conducted.
- There were no significant between-group differences in the content of dreams.
- The people with PD and RBD had a tendency to have more-intense actions in their dreams.
- The people with PD and RBD had more negative dreams compared to positive dreams.

1

^bSchool of Bioscience, University of Skövde, Skövde, Sweden

^cDepartment of Neurology, Medical University of Innsbruck, Innsbruck, Austria

^{*}Corresponding author. Centre for Cognitive Neuroscience, Assistentinkatu 7, FI-20014 University of Turku, Turku, Finland. Tel.: +358 2 333 6501.

Download English Version:

https://daneshyari.com/en/article/6060968

Download Persian Version:

https://daneshyari.com/article/6060968

<u>Daneshyari.com</u>