

Accepted Manuscript

Non-enzymatic Amperometric Detection of Hydrogen Peroxide in Human Blood Serum Samples Using a Modified Silver Nanowire Electrode

Balamurugan Thirumalraj, Duo-Han Zhao, Shen-Ming Chen, Selvakumar Palanisamy

PII: S0021-9797(16)30129-1

DOI: <http://dx.doi.org/10.1016/j.jcis.2016.02.049>

Reference: YJCIS 21111

To appear in: *Journal of Colloid and Interface Science*

Received Date: 18 January 2016

Revised Date: 19 February 2016

Accepted Date: 19 February 2016

Please cite this article as: B. Thirumalraj, D-H. Zhao, S-M. Chen, S. Palanisamy, Non-enzymatic Amperometric Detection of Hydrogen Peroxide in Human Blood Serum Samples Using a Modified Silver Nanowire Electrode, *Journal of Colloid and Interface Science* (2016), doi: <http://dx.doi.org/10.1016/j.jcis.2016.02.049>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Non-enzymatic Amperometric Detection of Hydrogen Peroxide in Human Blood Serum Samples Using a Modified Silver Nanowire Electrode

Balamurugan Thirumalraj, ^a Duo-Han Zhao, ^a Shen-Ming Chen, ^{a*} Selvakumar Palanisamy ^a

^aElectroanalysis and Bioelectrochemistry Lab, Department of Chemical Engineering and Biotechnology, National Taipei University of Technology, No.1, Section 3, Chung-Hsiao East Road, Taipei 106, Taiwan (R.O.C).

Corresponding author. Tel: +886 2270 17147; fax: +886 2270 25238.

*E-mail address: smchen78@ms15.hinet.net (S.M. Chen)

Download English Version:

<https://daneshyari.com/en/article/606321>

Download Persian Version:

<https://daneshyari.com/article/606321>

[Daneshyari.com](https://daneshyari.com)