
Subject index

A

Acanthoma, clear cell

Clinicopathological and dermoscopic features of angio-ecrine hyperplasia in clear cell acanthoma (Paolino et al). 2016;74:1259-61 (Research letter)

Access to health care

Impact of store-and-forward (SAF) teledermatology on outpatient dermatologic care: a prospective study in an underserved urban primary care setting (Nelson et al). 2016;74:484-90 (Original article)

Acne

Guidelines of care for the management of acne vulgaris (Zaenglein et al). 2016;74:945-73 (From the Academy)

Microneedling in skin of color: a review of uses and efficacy (Cohen and Elbuluk). 2016;74:348-55 (Derm. surgery)

Staphylococcus aureus carriage rates and antibiotic resistance patterns in patients with acne vulgaris (Delost et al). 2016;74:673-8 (Original article)

Topical minocycline foam for moderate to severe acne vulgaris: phase 2 randomized double-blind, vehicle-controlled study results (Shemer et al). 2016;74:1251-2 (Research letter)

The use of oral antibiotics before isotretinoin therapy in patients with acne (Nagler et al). 2016;74:273-9 (Original article)

Use of topical retinoids by dermatologists and non-dermatologists in the management of acne vulgaris (Pena et al). 2016;74:1252-4 (Research letter)

Acrodermatitis chronica atrophicans

Expanding the clinicopathological spectrum of late cutaneous Lyme borreliosis (acrodermatitis chronica atrophicans [ACA]): a prospective study of 20 culture- and/or polymerase chain reaction (PCR)-documented cases (Lenormand et al). 2016;74:685-92 (Original article)

Actinic keratosis

Ablative fractional laser therapy for the treatment of actinic keratosis: a split-face study (Gan et al). 2016;74:387-9 (Research letter)

Topical corticosteroid has no influence on inflammation or efficacy after ingenol mebutate treatment of grade I to III actinic keratoses (AK): a randomized clinical trial (Erlendsson et al). 2016;74:709-15 (Original article)

Actinic prurigo

Thalidomide for the treatment of chronic refractory pruritus (Sharma and Kwatra). 2016;74:363-9 (Review)

Adalimumab

Adalimumab drug survival in patients with psoriasis, Crohn's disease, and rheumatoid arthritis: relevant differences using the same treatment (van den Reek et al). 2016;74:177-9 (Research letter)

Biologic therapy adherence, discontinuation, switching, and restarting among patients with psoriasis in the US Medicare population (Doshi et al). 2016;74:1057-65 (Original article)

Comparative effectiveness of biologic agents for the treatment of psoriasis in a real-world setting: results from a large, prospective, observational study (Psoriasis Longitudinal Assessment and Registry [PSOLAR]) (Strober et al). 2016;74:851-61 (Original article)

ORBIT (Outcome and Retention Rate of Biologic Treatments for Psoriasis): a retrospective observational study on biologic drug survival in daily practice (Vilarrasa et al). 2016;74:1066-72 (Original article)

Persistence and failure rates of adalimumab monotherapy in biologic-naïve patients with psoriasis: a retrospective study (Reddy et al). 2016;74:575-7 (Research letter)

Treatment of recalcitrant granuloma annulare (GA) with adalimumab: a single-center, observational study (Min and Lebwahl). 2016;74:127-33 (Original article)

Adhesive surgical tape

Sterile adhesive tape: a useful adjunct when applying full thickness skin grafts (Ohn et al). 2016;74:e133-4 (Surgical pearl)

Adolescents

Characterizing subsequent primary melanomas (SPM) in adolescents and young adults: a population-based study from 1973 to 2011 (Fu et al). 2016;74:181-2 (Research letter)

Long-term safety and efficacy of etanercept in children and adolescents with plaque psoriasis (Paller et al). 2016;74:280-7 (Original article)

Adults

Beyond JAAD April 2016: articles of interest from the nondermatologic literature (Bronin et al). 2016;74:777-9 (Beyond JAAD)

Characteristics and treatment of adult-onset linear morphea: a retrospective cohort study of 61 patients at 3 tertiary care centers (Mazori et al). 2016;74:577-9 (Research letter)

Adverse drug reaction

Cutaneous adverse events (AEs) of anti-programmed cell death (PD)-1 therapy in patients with metastatic melanoma: a single-institution cohort (Hwang et al). 2016;74:455-61 (Original article)

Doxycycline for prevention of erlotinib-induced rash in patients with non-small-cell lung cancer (NSCLC) after failure of first-line chemotherapy: a randomized, open-label trial (Deplanque et al). 2016;74:1077-85 (Original article)

Hidradenitis suppurativa (HS): an unrecognized paradoxical effect of biologic agents (BA) used in chronic inflammatory diseases (Favre et al). 2016;74:1153-9 (Original article)

The spectrum of nephrocutaneous diseases and associations: inflammatory and medication-related nephrocutaneous associations (Pascoe et al). 2016;74:247-70 (CME article)

Adverse effects, long term

Immediate skin responses to laser and light treatments: warning endpoints: how to avoid side effects (Wanner et al). 2016;74:807-19 (CME article)

Afamelanotide

Beyond JAAD January 2016: articles of interest from the non-dermatologic literature (Bronin et al). 2016;74:193-5 (Beyond JAAD)

Affordable Care Act

Association of health insurance with outcomes in adults ages 18 to 64 years with melanoma in the United States (Amini et al). 2016;74:309-16 (Original article)

African Americans

Increasing racial and ethnic diversity in dermatology: a call to action (Pandya et al). 2016;74:584-7 (Commentary)

Agent Orange

Skin diseases associated with Agent Orange and other organochlorine exposures (Patterson et al). 2016;74:143-70 (Review)

AIDS

Use of tumor necrosis factor (TNF) inhibitors in patients with HIV/AIDS (Gallitano et al). 2016;74:974-80 (Review)

Albinism, oculocutaneous

Familial skin cancer syndromes: increased risk of nonmelanotic skin cancers and extracutaneous tumors (Jaju et al). 2016;74:437-51 (CME article)

Alcohol consumption

The alcoholic bus driver and the dermatology consultation: legal, moral, and ethical considerations (Song et al). 2016;74:580-3 (Dermatoethics consultation)

The alcoholic bus driver and the dermatology consultation: what? (Boyd). 2016;74:e103 (Notes & comments)

Allergens

Allergic contact dermatitis: patient diagnosis and evaluation (Mowad et al). 2016;74:1029-40 (CME article)

Allergic contact dermatitis: patient management and education (Mowad et al). 2016;74:1043-54 (CME article)

Alopecia

Clusters of CD123+ plasmacytoid dendritic cells help distinguish lupus alopecia from lichen planopilaris (Kolivras and Thompson). 2016;74:1267-9 (Research letter)

Tufts of "doll's hair" within a shiny, scarring alopecia (Tarantino et al). 2016;74:e109-10 (Images in dermatology)

Alopecia, frontal fibrosing

Antiandrogenic drugs, a therapeutic option for frontal fibrosing alopecia patients (Vaño-Galván et al). 2016;74:e77 (Notes & comments)

Finasteride is of uncertain utility in treating frontal fibrosing alopecia (Tziotzios et al) (Letter) (Danesh and Murase) (Reply). 2016;74:e73-5 (Notes & comments)

Alopecia areata

Alopecia areata (AA) and treatment with simvastatin/ezetimibe: experience of 20 patients (Loi et al) (Letter) (Lattouf et al) (Reply). 2016;74:e99-101 (Notes & comments)

Comorbid autoimmune diseases in patients with vitiligo: a cross-sectional study (Gill et al). 2016;74:295-302 (Original article)

Distinguishing diffuse alopecia areata (AA) from pattern hair loss (PHL) using CD3+ T cells (Kolivras and Thompson). 2016;74:937-44 (Dermatopathology)

Follicular vitiligo: a report of 8 cases (Gan et al). 2016;74:1178-84 (Original article)

Pulse corticosteroid therapy with oral dexamethasone for the treatment of adult alopecia totalis and universalis (Vaño-Galván et al). 2016;74:1005-7 (Research letter)

Rapid skin repigmentation on oral ruxolitinib in a patient with coexistent vitiligo and alopecia areata (AA) (Harris et al). 2016;74:370-1 (Research letter)

A systematic review of pulse steroid therapy for alopecia areata (Shreberk-Hassidim et al). 2016;74:372-4 (Research letter)

Treatment of recalcitrant adult alopecia areata universalis with oral azathioprine (Vaño-Galván et al). 2016;74:1007-8 (Research letter)

Amastigotes

Morphological and immunohistochemical clues for the diagnosis of cutaneous leishmaniasis and the interpretation of CD1a status (Fernandez-Flores and Rodriguez-Peralto). 2016;74:536-43 (Dermatopathology)

American College of Mohs Surgery

Identifying and defining complications of dermatologic surgery to be tracked in the American College of Mohs Surgery (ACMS) Registry (Council et al). 2016;74:739-45 (Derm. surgery)

American College of Rheumatology

Using the American College of Rheumatology (ACR) and Systemic Lupus International Collaborating Clinics (SLICC) criteria to determine the diagnosis of systemic lupus erythematosus (SLE) in patients with subacute cutaneous lupus erythematosus (SCLE) (Tiao et al). 2016;74:862-9 (Original article)

5-Aminolevulinic acid

Two-fold illumination in topical 5-aminolevulinic acid (ALA)-mediated photodynamic therapy (PDT) for superficial

basal cell carcinoma (sBCC): a retrospective case series and cohort study (Kessels et al). 2016;74:899-906 (Original article)

Amoxicillin

Guidelines of care for the management of acne vulgaris (Zaenglein et al). 2016;74:945-73 (From the Academy)

Amyloidosis, macular

Neurocutaneous disease: neurocutaneous dysesthesias (Shumway et al). 2016;74:215-28 (CME article)

Amyloidosis, primary cutaneous nodular

A unique dermoscopy pattern of primary cutaneous nodular amyloidosis mimicking a granulomatous disease (Rongioletti et al). 2016;74:e9-10 (Dermoscopy case of the month)

Anesthetics, local

Guidelines for the use of local anesthesia in office-based dermatologic surgery (Kouba et al). 2016;74:1201-19 (From the Academy)

Angiolymphoid hyperplasia with eosinophilia

Epidemiology and treatment of angiolymphoid hyperplasia with eosinophilia (ALHE): a systematic review (Adler et al). 2016;74:506-12 (Original article)

Angiotensin II

Propranolol versus captopril in the treatment of infantile hemangioma (IH): a randomized controlled trial (Zaher et al). 2016;74:499-505 (Original article)

Anthelix

Reconstruction of the central anthelix using a novel double chondrocutaneous island flap (Kueder Pajares et al). 2016;74:e65-6 (Surgical pearl)

Antia-Buch flap

Superior Antia-Buch flap for reconstruction of helical rim defects (Varas-Meis et al). 2016;74:e67-8 (Surgical pearl)

Antibiotics

Guidelines of care for the management of acne vulgaris (Zaenglein et al). 2016;74:945-73 (From the Academy)

The use of oral antibiotics before isotretinoin therapy in patients with acne (Nagler et al). 2016;74:273-9 (Original article)

Anti-desmoglein 1

Immunologic prediction of relapse in patients with pemphigus vulgaris (PV) in clinical remission (Daneshpazhooh et al). 2016;74:1160-5 (Original article)

Anti-desmoglein 3

Immunologic prediction of relapse in patients with pemphigus vulgaris (PV) in clinical remission (Daneshpazhooh et al). 2016;74:1160-5 (Original article)

Antimalarial agents

The effect of increasing the dose of hydroxychloroquine (HCQ) in patients with refractory cutaneous lupus erythematosus (CLE): an open-label prospective pilot study (Chasset et al). 2016;74:693-9 (Original article)

Antiphospholipid syndrome

Coagulation disorders and their cutaneous presentations: pathophysiology (Chang et al). 2016;74:783-92 (CME article)

Apremilast

Apremilast, an oral phosphodiesterase 4 inhibitor, in patients with difficult-to-treat nail and scalp psoriasis: results of 2 phase III randomized, controlled trials (ESTEEM 1 and ESTEEM 2) (Rich et al). 2016;74:134-42 (Original article)

Aspirin

Can oral nonsteroidal antiinflammatory drugs play a role in the prevention of basal cell carcinoma? A systematic review and metaanalysis (Muranushi et al). 2016;74:108-19 (Original article)

Athletics

Skin infections among US high school athletes: a national survey (Ashack et al). 2016;74:679-84 (Original article)

Download English Version:

<https://daneshyari.com/en/article/6069693>

Download Persian Version:

<https://daneshyari.com/article/6069693>

[Daneshyari.com](https://daneshyari.com)