
Subject index

A

Abortion, spontaneous

Evidence of human herpesvirus-6 and -7 reactivation in miscarrying women with pityriasis rosea (Drago et al). 2014;71:198-9 (Research letter)

Absent in Melanoma 2

Absent in Melanoma 2 is predominantly present in primary melanoma and primary squamous cell carcinoma, but largely absent in metastases of both tumors (de Koning et al). 2014;71:1012-5 (Research letter)

Acanthosis nigricans

Polycystic ovary syndrome: a review for dermatologists. Part I. Diagnosis and manifestations (Housman and Reynolds). 2014;71:847-56 (CME article)

Acne

Diet in dermatology: part I. Atopic dermatitis, acne, and nonmelanoma skin cancer (Bronsnick et al). 2014;71:1039-50 (CME article)

A double-blind, randomized, multicenter, controlled trial of suspended polymethylmethacrylate microspheres for the correction of atrophic facial acne scars (Karnik et al). 2014;71:77-83 (Original article)

Polycystic ovary syndrome: a review for dermatologists. Part I. Diagnosis and manifestations (Housman and Reynolds). 2014;71:847-56 (CME article)

Polycystic ovary syndrome: a review for dermatologists. Part II. Treatment (Buzney et al). 2014;71:859-72 (CME article)

Probiotics and prebiotics in dermatology (Baquerizo et al). 2014;71:814-21 (Review)

A tip for performing intralesional triamcinolone acetonide injections in acne patients (Lee et al). 2014;71:e127-8 (Therapeutic pearl)

Topical antimicrobial acne treatment tolerability: a meaningful factor in treatment adherence? (Bartlett et al). 2014;71:581-2 (Commentary)

Acne inversa

Hidradenitis suppurativa: a retrospective study of 846 Dutch patients to identify factors associated with disease severity (Schrader et al). 2014;71:460-7 (Original article)

Hidradenitis suppurativa is a systemic disease with substantial comorbidity burden: a chart-verified case-control analysis (Shlyankevich et al). 2014;71:1144-50 (Original article)

Acne vulgaris

Meta-analysis comparing efficacy of antibiotics versus oral contraceptives in acne vulgaris (Koo et al). 2014;71:450-9 (Original article)

Photodynamic therapy using chlorophyll-a in the treatment of acne vulgaris: a randomized, single-blind, split-face study (Song et al). 2014;71:764-71 (Derm. surgery)

A retrospective analysis of the duration of oral antibiotic therapy for the treatment of acne among adolescents: investigating practice gaps and potential cost-savings (Lee et al). 2014;71:70-6 (Original article)

Actinic keratosis

Inner gray halo, a novel dermoscopic feature for the diagnosis of pigmented actinic keratosis: clues for the differential diagnosis with lentigo maligna (Nascimento et al). 2014;71:708-15 (Original article)

Peripheral facial palsy after topical photodynamic therapy for facial actinic keratoses (Gemigniani et al). 2014;71:e90-2 (Case letter)

Adalimumab

Occurrence of psoriatic plaques on previous adalimumab injection sites during disease relapse in a patient with pustular psoriasis (Wang and Tsai). 2014;71:e24-6 (Case letter)

Adapalene

Successful topical adapalene treatment for the facial lesions of an adolescent case of epidermolytic ichthyosis (Ogawa and Akiyama). 2014;71:e103-5 (Case letter)

Adolescents

An oozing papule on the neck of a 16-year-old boy (Lin). 2014;71:e177-8 (Images in dermatology)

A retrospective analysis of the duration of oral antibiotic therapy for the treatment of acne among adolescents: investigating practice gaps and potential cost-savings (Lee et al). 2014;71:70-6 (Original article)

Successful topical adapalene treatment for the facial lesions of an adolescent case of epidermolytic ichthyosis (Ogawa and Akiyama). 2014;71:e103-5 (Case letter)

Successful use of rituximab in the treatment of childhood and juvenile pemphigus (Vinay et al). 2014;71:669-75 (Original article)

Adults

Adult with papular eruption on the central aspect of the face (Michaels et al). 2014;71:410-2 (JAAD Grand Rounds)

Different patterns of skin manifestations associated with parvovirus B19 primary infection in adults (Mage et al). 2014;71:62-9 (Original article)

Exanthems associated with parvovirus B19 infection in adults (Drago et al). 2014;71:1256 (Notes & comments)

Reactive hemophagocytic syndrome in a patient with adult-onset Still disease (Gavigan and Beecker). 2014;71:e77-8 (Case letter)

Adverse drug events

Allergic contact dermatitis to topical brimonidine tartrate gel 0.33% for treatment of rosacea (Swanson and Warshaw) (Letter) (Del Rosso) (Reply). 2014;71:832-4 (Notes & comments)

Chemotherapy-induced hand-foot syndrome and nail changes: a review of clinical presentation, etiology, pathogenesis, and management (Miller et al). 2014;71:787-94 (Review)

Collodion-like membrane in a newborn exposed to infliximab (Offiah et al). 2014;71:e22-3 (Case letter)

Comparative profile of cutaneous adverse events: BRAF/MEK inhibitor combination therapy versus BRAF monotherapy in melanoma (Sanlorenzo et al). 2014;71:1102-9 (Original article)

Cutaneous reactions to chemotherapeutic drugs and targeted therapies for cancer: part I. Conventional chemotherapeutic drugs (Reyes-Habito and Roh). 2014;71:203-14 (CME article)

Cutaneous reactions to chemotherapeutic drugs and targeted therapy for cancer: part II. Targeted therapy (Reyes-Habito and Roh). 2014;71:217-27 (CME article)

Etanercept therapy for toxic epidermal necrolysis (Paradisi et al). 2014;71:278-83 (Original article)

Ipilimumab-associated Sweet syndrome in a melanoma patient (Gormley et al). 2014;71:e211-3 (Case letter)

Ipilimumab in patients with cancer and the management of dermatologic adverse events (Lacouture et al). 2014;71:161-9 (Review)

Lupus erythematosus—like skin eruption after vemurafenib therapy (Reinholz et al). 2014;71:e159-60 (Case letter)

Managing skin toxicities related to panitumumab (Bergman et al). 2014;71:754-9 (Original article)

Occurrence of psoriatic plaques on previous adalimumab injection sites during disease relapse in a patient with pustular psoriasis (Wang and Tsai). 2014;71:e24-6 (Case letter)

Papular eruption associated with palifermin (Gorcey et al). 2014;71:e101-2 (Case letter)

Peripheral bands in the setting of drug hypersensitivity syndrome (Ahluwalia et al). 2014;71:e153-4 (Case letter)

Photosensitive lichenoid drug eruption to capecitabine (Walker et al). 2014;71:e52-3 (Case letter)

Primary thyroid marginal zone B-cell lymphoma in a patient with psoriatic arthritis treated with etanercept (Jin et al). 2014;71:e152-3 (Case letter)

Reticulated hyperpigmentation following chemotherapy for radiation-induced osteosarcoma (Necessary et al). 2014;71:e23-4 (Case letter)

Severe and refractory solar urticaria treated with intravenous immunoglobulins: a phase II multicenter study (Aubin et al). 2014;71:948-53 (Original article)

Vemurafenib-associated gingival hyperplasia in patient with metastatic melanoma (Mangold et al). 2014;71:e205-6 (Case letter)

Vismodegib-associated hepatotoxicity: a potential side effect detected in postmarketing surveillance (Ventarola and Silverstein). 2014;71:397-8 (Research letter)

Advertisements

Evaluation of sunscreens distributed by 2 major US retailers for meeting recommendations by the American Academy of Dermatology (Yazdani Abyaneh et al). 2014;71:1011-2 (Research letter)

African Americans

Dermatoscopic features of central centrifugal cicatricial alopecia (Miteva and Tosti). 2014;71:443-9 (Original article)

Early-onset mycosis fungoides among African American women: a single-institution study (Balagula et al). 2014;71:597-8 (Research letter)

Agammaglobulinemia, X-linked

CD8⁺ granulomatous cutaneous T-cell lymphoma: a potential association with immunodeficiency (Gammon et al). 2014;71:555-60 (Dermatopathology)

Alitretinoin

Alitretinoin: a new treatment option for hereditary punctate palmoplantar keratoderma (Brauer-Buschke-Fischer syndrome) (Raone et al). 2014;71:e48-9 (Case letter)

Efficacy of oral alitretinoin for the treatment of Darier disease: a case report. 2014;71:e46-8 (Case letter)

Allergens

Guidelines of care for the management of atopic dermatitis: section 4. Prevention of disease flares and use of adjunctive therapies and approaches (Sidbury et al). 2014;71:1218-33 (From the Academy)

Alopecia, central centrifugal cicatricial

Dermatoscopic features of central centrifugal cicatricial alopecia (Miteva and Tosti). 2014;71:443-9 (Original article)

Alopecia, cicatricial

Clinicopathologic lessons in distinguishing cicatricial alopecia: 7 cases of lichen planopilaris misdiagnosed as discoid lupus (Nambudiri et al). 2014;71:e135-8 (Case letter)

Alopecia, frontal fibrosing

Absence of HLA-DR1 positivity in 2 familial cases of frontal fibrosing alopecia (Chan et al). 2014;71:e208-10 (Case letter)

Frontal fibrosing alopecia (Holmes and MacDonald) (Letter) (Vaño-Galván et al) (Reply). 2014;71:593-5 (Notes & comments)

Frontal fibrosing alopecia and lichen planus pigmentosus (Berliner et al). 2014;71:e26-7 (Case letter)

Alopecia areata

Clinical efficacy of diphenylcyclopropanone in alopecia areata: retrospective data analysis of 50 patients (Chiang et al). 2014;71:595-7 (Research letter)

Evaluation and diagnosis of the hair loss patient: part I. History and clinical examination (Mubki et al). 2014;71:415-28 (CME article)

Evaluation and diagnosis of the hair loss patient: part II. Trichoscopic and laboratory evaluations (Mubki et al). 2014;71:431-40 (CME article)

Pili multigemini/trichofolliculoma-like organoid nevus (Sperling et al). 2014;71:e83-5 (Case letter)

Ambrisentan

Effect of the endothelin type A—selective endothelin receptor antagonist ambrisentan on digital ulcers in patients with systemic sclerosis: results of a prospective pilot study (Chung et al). 2014;71:400-1 (Research letter)

American Academy of Dermatology

Evaluation of sunscreens distributed by 2 major US retailers for meeting recommendations by the American Academy of Dermatology (Yazdani Abyaneh et al). 2014;71:1011-2 (Research letter)

American Joint Committee on Cancer

Primary dermal melanoma: a unique subtype of melanoma to be distinguished from cutaneous metastatic melanoma (Sidiropoulos et al). 2014;71:1083-92 (Original article)

Variability in mitotic figures in serial sections of thin melanomas (Knezevich et al). 2014;71:1204-11 (Dermatopathology)

Amphotericin B

Leishmania tropica in children: a retrospective study (Solomon et al). 2014;71:271-7 (Original article)

Amyloidosis

Bullae and nodules on the legs of a 57-year-old woman (Ventarola et al). 2014;71:1035-7 (JAAD Grand Rounds)

Localized insulin-dependent amyloidosis with scar-tissue formation (Damm et al). 2014;71:e160-2 (Case letter)

Anagen phase

Absence of catagen/telogen phase and loss of cytokeratin 15 expression in hair follicles in lichen planopilaris (Habashi-Daniel et al). 2014;71:969-72 (Dermatopathology)

Anakinra

Expression of interleukin-1 alpha in amicrobial pustulosis of the skin folds with complete response to anakinra (Amazan et al). 2014;71:e53-6 (Case letter)

Anal cancer

Anal Pap smears and anal cancer: what dermatologists should know (Liszewski et al). 2014;71:985-92 (Review)

Anastrozole

Remission of metastatic primary mucinous carcinoma of the skin with anastrozole (Shockman et al). 2014;71:e27-8 (Case letter)

Androgenetic alopecia

Evaluation and diagnosis of the hair loss patient: part I. History and clinical examination (Mubki et al). 2014;71:415-28 (CME article)

Evaluation and diagnosis of the hair loss patient: part II. Trichoscopic and laboratory evaluations (Mubki et al). 2014;71:431-40 (CME article)

The impact of obesity on the folliculosebaceous unit (Mirmirani and Carpenter) (Letter) (Yang and Chen) (Reply). 2014;71:584-5 (Notes & comments)

Download English Version:

<https://daneshyari.com/en/article/6072799>

Download Persian Version:

<https://daneshyari.com/article/6072799>

[Daneshyari.com](https://daneshyari.com)