Accepted Manuscript

The age-dependent decrease of mitochondrial complex II activity in human skin fibroblasts

A. Bowman, M.A. Birch-Machin

PII: S0022-202X(16)00371-7

DOI: 10.1016/j.jid.2016.01.017

Reference: JID 160

To appear in: *The Journal of Investigative Dermatology*

Received Date: 15 May 2015

Revised Date: 8 January 2016

Accepted Date: 11 January 2016

Please cite this article as: Bowman A, Birch-Machin MA, The age-dependent decrease of mitochondrial complex II activity in human skin fibroblasts, *The Journal of Investigative Dermatology* (2016), doi: 10.1016/j.jid.2016.01.017.

The age-dependent decrease of mitochondrial complex II activity in human skin fibroblasts

A. Bowman[1], M. A. Birch-Machin[1]

1. Dermatological Sciences, Institute of Cellular Medicine, Newcastle University, Newcastle upon Tyne NE2 4HH, UK

Corresponding author's address:

Dermatological Sciences,

Institute of Cellular Medicine,

The Medical School,

Newcastle University,

NE2 4HH.

Telephone: 0191 208 5841

Fax: 0191 208 7179

Email: mark.birch-machin@newcastle.ac.uk

Short title: Skin complex II activity decreases with age

Abbreviations:

ETC, electron transport chain; FACS, fluorescence-activated cell sorting; mtDNA, mitochondrial DNA; ROS, reactive oxygen species; SDHA, succinate dehydrogenase complex subunit A; SDHB, succinate dehydrogenase complex subunit B; SDHC,