Accepted Manuscript

Tamibarotene ameliorates bleomycin-induced dermal fibrosis by modulating phenotypes of fibroblasts, endothelial cells, and immune cells

Tetsuo Toyama, Yoshihide Asano, Kaname Akamata, Shinji Noda, Takashi Taniguchi, Takehiro Takahashi, Yohei Ichimura, Koichi Shudo, Shinichi Sato, Takafumi Kadono

PII: S0022-202X(15)00059-7

DOI: 10.1016/j.jid.2015.10.058

Reference: JID 58

To appear in: *The Journal of Investigative Dermatology*

Received Date: 9 October 2014

Revised Date: 30 July 2015

Accepted Date: 17 August 2015

Please cite this article as: Toyama T, Asano Y, Akamata K, Noda S, Taniguchi T, Takahashi T, Ichimura Y, Shudo K, Sato S, Kadono T, Tamibarotene ameliorates bleomycin-induced dermal fibrosis by modulating phenotypes of fibroblasts, endothelial cells, and immune cells, *The Journal of Investigative Dermatology* (2015), doi: 10.1016/j.jid.2015.10.058.

Tamibarotene ameliorates bleomycin-induced dermal fibrosis by modulating phenotypes of fibroblasts, endothelial cells, and immune cells

Tetsuo Toyama[1], Yoshihide Asano[1], Kaname Akamata[1], Shinji Noda[1], Takashi Taniguchi[1], Takehiro Takahashi[1], Yohei Ichimura[1], Koichi Shudo[2], Shinichi Sato[1], Takafumi Kadono[1]

[1]Department of Dermatology, University of Tokyo Graduate School of Medicine.

[2]Research Foundation ITSUU Laboratory

Short title: Am80 ameliorates BLM-induced dermal fibrosis

Address correspondence to:

Yoshihide Asano, M.D., Ph.D. or Takafumi Kadono, M.D., Ph.D.

Department of Dermatology, University of Tokyo Graduate School of Medicine

7-3-1 Hongo, Bunkyo-ku, Tokyo, 113-8655, Japan

Tel: +81-3-3815-5411

Fax: +81-3-3814-1503

E-mail: yasano-tky@umin.ac.jp or kadono-der@h.u-tokyo.ac.jp

Abbreviations: BLM, bleomycin; SSc, systemic sclerosis; ATRA, all-*trans* retinoic acid; NO, nitric oxide; EndoMT, endothelial-to-mesenchymal transition; WT, wild type; PBS, phosphate-buffered saline; H&E, hematoxylin and eosin; qRT-PCR, quantitative real-time reverse transcription polymerase chain reaction; HDMECs, human dermal microvascular