Accepted Manuscript

Dimension reduction: Perihematomal edema diameter as a predictive indicator of 30-day mortality of intracranial hematoma

Hidetaka Tamune M.D.

PII: S0735-6757(16)30141-3

DOI: doi: 10.1016/j.ajem.2016.05.032

Reference: YAJEM 55811

To appear in: American Journal of Emergency Medicine

Received date: 18 March 2016 Accepted date: 14 May 2016



Please cite this article as: Tamune Hidetaka, Dimension reduction: Perihematomal edema diameter as a predictive indicator of 30-day mortality of intracranial hematoma, *American Journal of Emergency Medicine* (2016), doi: 10.1016/j.ajem.2016.05.032

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Title: Dimension reduction: Perihematomal edema diameter as a predictive indicator of 30-day
mortality of intracranial hematoma
Author: Hidetaka Tamune, M.D., corresponding author
Department of Neuropsychiatry, Tokyo Metropolitan Tama Medical Center,
Tokyo, Japan
Department of Neuropsychiatry, Graduate School of Medicine, The University of Tokyo
Tokyo, Japan
2-8-29 Musashidai, Fuchu-shi, Tokyo 183-8524, Japan
Tel.: +81-44-323-5111 E-mail address: tamune-tky@umin.ac.jp
The author received no support, grant, or funding for this project.
Keywords: "intracranial hematoma," "predictive indicator," "dimension reduction,"
"perihematomal edema diameter," "perihematomal edema absolute area"

Words count: 243 words except Figure Legend

Download English Version:

https://daneshyari.com/en/article/6078816

Download Persian Version:

https://daneshyari.com/article/6078816

<u>Daneshyari.com</u>