

Accepted Manuscript

Effect of head position on the success rate of blind intubation using intubating supraglottic airway devices

Rieko Yamada MD, Koichi Maruyama PhD, Go Hirabayashi PhD, Yukihide Koyama PhD, Tomio Andoh PhD


PII: S0735-6757(16)30013-4
DOI: doi: [10.1016/j.ajem.2016.02.076](https://doi.org/10.1016/j.ajem.2016.02.076)
Reference: YAJEM 55714

To appear in: *American Journal of Emergency Medicine*

Received date: 13 December 2015
Revised date: 21 February 2016
Accepted date: 21 February 2016

Please cite this article as: Yamada Rieko, Maruyama Koichi, Hirabayashi Go, Koyama Yukihide, Andoh Tomio, Effect of head position on the success rate of blind intubation using intubating supraglottic airway devices, *American Journal of Emergency Medicine* (2016), doi: [10.1016/j.ajem.2016.02.076](https://doi.org/10.1016/j.ajem.2016.02.076)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Effect of head position on the success rate of blind intubation using
intubating supraglottic airway devices**

Rieko Yamada, MD ^a, Koichi Maruyama, PhD ^{a,*}, Go Hirabayashi, PhD ^a, Yukihide
Koyama, PhD ^{b,1}, Tomio Andoh, PhD ^a

^aDepartment of Anesthesiology, University Hospital Mizonokuchi, Teikyo University
School of Medicine, 3-8-3 Mizonokuchi, Takatsu-ku, Kawasaki 213-8507, Kanagawa,
Japan

^{b,1} Department of Anesthesiology and Critical Care Medicine, Yokohama City
University Graduate School of Medicine, 3-9 Fukuura, Kanazawa-ku, Yokohama
236-0004, Kanagawa, Japan

***Correspondence and reprint requests to:** Dr Koichi Maruyama

E-mail: maru555md@yahoo.co.jp, Phone: +81-44-844-3333, Fax:+81-44-844-0468

Key Words: Intubation, laryngeal masks, head position

¹Present address: Department of Anesthesia, Fujisawa Shounandai Hospital, 2345 Takakura,
Fujisawa, Kanagawa 252-0802, Japan

Download English Version:

<https://daneshyari.com/en/article/6079407>

Download Persian Version:

<https://daneshyari.com/article/6079407>

[Daneshyari.com](https://daneshyari.com)