

Accepted Manuscript

High-dose Dual Therapy is Superior to Standard First-line or Rescue Therapy for *Helicobacter pylori* Infection

Jyh-Chin Yang , Chun-Jung Lin , Hong-Long Wang , Jin-De Chen , John Y. Kao , Chia-Tung Shun , Chien-Wei Lu , Bor-Ru Lin , Ming-Jium Shieh , Ming-Chu Chang , Yu-Ting Chang , Shu-Chen Wei , Lin-Chih Lin , Wen-Chun Yeh , Jen-Shin Kuo , Chien-Chih Tung , Yew-Loong Leong , Teh-Hong Wang , Jau-Min Wong



PII: S1542-3565(14)01619-X
DOI: [10.1016/j.cgh.2014.10.036](https://doi.org/10.1016/j.cgh.2014.10.036)
Reference: YJCGH 54063

To appear in: *Clinical Gastroenterology and Hepatology*
Accepted Date: 27 October 2014

Please cite this article as: Yang J-C, Lin C-J, Wang H-L, Chen J-D, Kao JY, Shun C-T, Lu C-W, Lin B-R, Shieh M-J, Chang M-C, Chang Y-T, Wei S-C, Lin L-C, Yeh W-C, Kuo J-S, Tung C-C, Leong Y-L, Wang T-H, Wong J-M, High-dose Dual Therapy is Superior to Standard First-line or Rescue Therapy for *Helicobacter pylori* Infection, *Clinical Gastroenterology and Hepatology* (2014), doi: 10.1016/j.cgh.2014.10.036.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

All studies published in *Clinical Gastroenterology and Hepatology* are embargoed until 3PM ET of the day they are published as corrected proofs on-line. Studies cannot be publicized as accepted manuscripts or uncorrected proofs.

1 Title

2 High-dose Dual Therapy is Superior to Standard First-line or Rescue Therapy for
3 *Helicobacter pylori* Infection

6 Short Title

7 High-dose dual therapy for *H. pylori* infection

10 Authors

11 Jyh-Chin Yang¹, Chun-Jung Lin², Hong-Long Wang³, Jin-De Chen⁴, John Y. Kao⁵,
12 Chia-Tung Shun⁶, Chien-Wei Lu², Bor-Ru Lin⁷, Ming-Jium Shieh¹, Ming-Chu Chang¹,
13 Yu-Ting Chang¹, Shu-Chen Wei¹, Lin-Chih Lin⁸, Wen-Chun Yeh⁹, Jen-Shin Kuo¹,
14 Chien-Chih Tung⁷, Yew-Loong Leong¹⁰, Teh-Hong Wang¹, Jau-Min Wong¹.

15
16 ¹ Departments of Internal Medicine, Hospital and College of Medicine, National Taiwan
17 University, Taipei, Taiwan

18 ² School of Pharmacy, National Taiwan University, Taipei, Taiwan

19 ³ Department of Statistics, National Taipei University, New Taipei City, Taiwan

20 ⁴ Department of Internal Medicine, National Taiwan University Hospital Bei-Hu Branch,
21 Taipei, Taiwan

22 ⁵ Department of Internal Medicine, Division of Gastroenterology, University of Michigan,
23 Ann Arbor, Michigan, USA

24 ⁶ Department of Forensic Medicine and Pathology, Hospital and College of Medicine,
25 National Taiwan University, Taipei, Taiwan

26 ⁷ Department of Integrated Diagnostics and Therapeutics, Hospital and College of Medicine,
27 National Taiwan University, Taipei, Taiwan

28 ⁸ Department of Internal Medicine, Non-Profit Proprietary Miners Hospital, Keelung,
29 Taiwan

30 ⁹ Department of Internal Medicine, New Taipei City Hospital San Chung Branch, New
31 Taipei City, Taiwan

32 ¹⁰ Department of Internal Medicine, West Garden Hospital, Taipei, Taiwan

35 Grant Support

36 Supported by grants from the National Science Council of Taiwan
37 (NSC-99-2314-B-002-095, NSC-100-2314-B-002-070) and the National Institute of Health
38 (R01 DK087708). The sponsors of the study had no role in the study design, data collection,

Download English Version:

<https://daneshyari.com/en/article/6091282>

Download Persian Version:

<https://daneshyari.com/article/6091282>

[Daneshyari.com](https://daneshyari.com)