

Accepted Manuscript

Terlipressin plus albumin is more effective than albumin alone in improving renal function in patients with cirrhosis and hepatorenal syndrome type 1

Thomas D. Boyer, Arun J. Sanyal, Florence Wong, R. Todd Frederick, John R. Lake, Jacqueline G. O'Leary, Daniel Ganger, Khurram Jamil, Stephen Chris Pappas, and the REVERSE Study Investigators

PII: S0016-5085(16)00217-1
DOI: [10.1053/j.gastro.2016.02.026](https://doi.org/10.1053/j.gastro.2016.02.026)
Reference: YGAST 60298

To appear in: *Gastroenterology*
Accepted Date: 10 February 2016

Please cite this article as: Boyer TD, Sanyal AJ, Wong F, Frederick RT, Lake JR, O'Leary JG, Ganger D, Jamil K, Pappas SC, and the REVERSE Study Investigators, Terlipressin plus albumin is more effective than albumin alone in improving renal function in patients with cirrhosis and hepatorenal syndrome type 1, *Gastroenterology* (2016), doi: 10.1053/j.gastro.2016.02.026.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Terlipressin plus albumin is more effective than albumin alone in improving renal function in patients with cirrhosis and hepatorenal syndrome type 1

Short title: Terlipressin in HRS-1: The REVERSE Study

Thomas D. Boyer,¹ Arun J. Sanyal,² Florence Wong,³ R. Todd Frederick,⁴ John R. Lake,⁵ Jacqueline G. O'Leary,⁶ Daniel Ganger,⁷ Khurram Jamil,⁸ Stephen Chris Pappas,⁹ and the REVERSE Study Investigators

¹University of Arizona, Tucson, Arizona; ²Virginia Commonwealth University, Richmond, Virginia; ³University of Toronto, Toronto, Ontario, Canada; ⁴California Pacific Medical Center, San Francisco, CA, ⁵University of Minnesota, Minneapolis, Minnesota; ⁶Baylor University Medical Center, Dallas, Texas; ⁷Northwestern University, Chicago, Illinois; ⁸Ikaria Therapeutics LLC/a Mallinckrodt Company, Hampton, New Jersey; ⁹Orphan Therapeutics, Lebanon, New Jersey

Abbreviations used in this paper: AE, adverse event; CHRSR, confirmed HRS reversal; CLIF-SOFA, chronic liver failure—sequential organ failure assessment; DSMB, Data Safety Monitoring Board; GFR, glomerular filtration rate; HRS-1, hepatorenal syndrome type 1; LVP, large-volume paracentesis; MAP, mean arterial pressure; RRT, renal replacement therapy; SCr, serum creatinine

Download English Version:

<https://daneshyari.com/en/article/6091930>

Download Persian Version:

<https://daneshyari.com/article/6091930>

[Daneshyari.com](https://daneshyari.com)