

Accepted Manuscript

Virus-specific CD4⁺ T Cells Have Functional and Phenotypic Characteristics of Follicular T-helper Cells in Patients With Acute and Chronic HCV Infections

Bijan Raziorrouh, Kathrin Sacher, Rajiv G. Tawar, Florian Emmerich, Christoph Neumann-Haefelin, Thomas F. Baumert, Robert Thimme, Tobias Boettler



PII: S0016-5085(15)01622-4
DOI: [10.1053/j.gastro.2015.11.005](https://doi.org/10.1053/j.gastro.2015.11.005)
Reference: YGAST 60131

To appear in: *Gastroenterology*
Accepted Date: 1 November 2015

Please cite this article as: Raziorrouh B, Sacher K, Tawar RG, Emmerich F, Neumann-Haefelin C, Baumert TF, Thimme R, Boettler T, Virus-specific CD4⁺ T Cells Have Functional and Phenotypic Characteristics of Follicular T-helper Cells in Patients With Acute and Chronic HCV Infections, *Gastroenterology* (2015), doi: 10.1053/j.gastro.2015.11.005.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Title:

Virus-specific CD4+ T Cells Have Functional and Phenotypic Characteristics of Follicular T-helper Cells in Patients With Acute and Chronic HCV Infections

Authors:

Bijan Raziorrouh², Kathrin Sacher¹, Rajiv G. Tawar³, Florian Emmerich⁴, Christoph Neumann-Haefelin¹, Thomas F. Baumert^{3,5}, Robert Thimme¹, and Tobias Boettler¹

Affiliations:

1. University Hospital Freiburg, Department of Medicine II, Freiburg, Germany;
2. University Hospital Munich-Grosshadern, Department of Medicine II, Munich, Germany;
3. Inserm U1110, Institut de Recherche sur les Maladies Virales et Hépatiques, Université de Strasbourg, France;
4. University Hospital Freiburg, Institute for Cell and Gene Therapy, Freiburg, Germany;
5. Institut Hospitalo-Universitaire, Pôle Hépatodigestif, Hôpitaux Universitaires de Strasbourg, Strasbourg, France

Correspondence should be addressed to:

Tobias Boettler, MD

University Hospital Freiburg, Department of Medicine II, Freiburg, Germany

Hugstetter Str. 55

D-79106 Freiburg

Germany

e-mail: tobias.boettler@uniklinik-freiburg.de

Author contribution:

Study concept and design: BR, TB; acquisition of data: BR, KS, RGK, FE, TB; analysis and interpretation of data: BR, RGK, TFB, TB; drafting of the manuscript: BR, TB; critical revision of the manuscript for important intellectual content: CNH, TFB, RT; statistical analysis: BR; obtained funding: BR, CNH, TFB, RT, TB; technical, or material support: FE, CNH, TFB, RT; study supervision: BR, TB

Conflict of interests:

None to declare

Acknowledgements:

This work was supported by HepNet (TP 10.2.1 to B.R.), European Research Network HepaCute (B.R.), DZIF - Clinical leave program (TI 07.001 to B.R.), the DFG Research Unit

Download English Version:

<https://daneshyari.com/en/article/6092498>

Download Persian Version:

<https://daneshyari.com/article/6092498>

[Daneshyari.com](https://daneshyari.com)