

Accepted Manuscript

Transient and 2-dimensional Shear-Wave Elastography provide comparable assessment of Alcoholic Liver Fibrosis and Cirrhosis

Maja Thiele, Sönke Detlefsen, Linda Sevelsted Møller, Bjørn Stæhr Madsen, Janne Fuglsang Hansen, Annette Dam Fialla, Jonel Trebicka, Aleksander Krag

PII: S0016-5085(15)01426-2
DOI: [10.1053/j.gastro.2015.09.040](https://doi.org/10.1053/j.gastro.2015.09.040)
Reference: YGAST 60061

To appear in: *Gastroenterology*
Accepted Date: 25 September 2015

Please cite this article as: Thiele M, Detlefsen S, Sevelsted Møller L, Madsen BS, Fuglsang Hansen J, Fialla AD, Trebicka J, Krag A, Transient and 2-dimensional Shear-Wave Elastography provide comparable assessment of Alcoholic Liver Fibrosis and Cirrhosis, *Gastroenterology* (2015), doi: 10.1053/j.gastro.2015.09.040.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



TRANSIENT AND 2-DIMENSIONAL SHEAR-WAVE ELASTOGRAPHY PROVIDE COMPARABLE ASSESSMENT OF ALCOHOLIC LIVER FIBROSIS AND CIRRHOSIS

Short title: Elastography in alcoholic liver disease

Authors: Maja Thiele^{1,2,3}, Sönke Detlefsen^{3,4}, Linda Sevelsted Møller⁵, Bjørn Stæhr Madsen^{1,2,3}, Janne Fuglsang Hansen^{3,6}, Annette Dam Fialla^{1,3,7}, Jonel Trebicka⁸, Aleksander Krag^{1,3}

Author affiliations: 1: Department of Gastroenterology and Hepatology, Odense University Hospital, Odense, Denmark. 2: OPEN Odense Patient data Explorative Network, Odense University Hospital, Odense, Denmark. 3: Institute of Clinical Research, University of Southern Denmark, Odense, Denmark. 4: Department of Pathology, Odense University Hospital, Odense, Denmark. 5: Department of Medicine, Odense University Hospital, Svendborg, Denmark. 6: Department of Infectious Diseases, Odense University Hospital, Odense, Denmark. 7: Department of Medicine, Hospital of Southwest Jutland, Esbjerg, Denmark. 8: Department of Internal Medicine I, University of Bonn, Bonn, Germany.

Grant support: The study was investigator-initiated and partly funded by the Danish National Advanced Technology Foundation and Innovation Fund Denmark. The Supersonic Aixplorer and FibroScan XL-probe were acquired with grants from the A. P.

Download English Version:

<https://daneshyari.com/en/article/6092891>

Download Persian Version:

<https://daneshyari.com/article/6092891>

[Daneshyari.com](https://daneshyari.com)