

Accepted Manuscript

Yarrowia lipolytica lipase 2 is Stable and Highly Active in Test Meals and Increases Fat Absorption in an Animal Model of Pancreatic Exocrine Insufficiency

Ahmed Aloulou, Mathieu Schué, Delphine Puccinelli, Stéphane Milano, Chantal Delchambre, Yves Leblond, René Laugier, Frédéric Carrière



PII: S0016-5085(15)01244-5
DOI: [10.1053/j.gastro.2015.08.047](https://doi.org/10.1053/j.gastro.2015.08.047)
Reference: YGAST 60007

To appear in: *Gastroenterology*
Accepted Date: 20 August 2015

Please cite this article as: Aloulou A, Schué M, Puccinelli D, Milano S, Delchambre C, Leblond Y, Laugier R, Carrière F, Yarrowia lipolytica lipase 2 is Stable and Highly Active in Test Meals and Increases Fat Absorption in an Animal Model of Pancreatic Exocrine Insufficiency, *Gastroenterology* (2015), doi: 10.1053/j.gastro.2015.08.047.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

All studies published in Gastroenterology are embargoed until 3PM ET of the day they are published as corrected proofs on-line. Studies cannot be publicized as accepted manuscripts or uncorrected proofs.

***Yarrowia lipolytica* lipase 2 is Stable and Highly Active in Test Meals
and Increases Fat Absorption in an Animal Model
of Pancreatic Exocrine Insufficiency**

Short Title: YLLIP2 lipase for enzyme replacement therapy

Authors: Ahmed Aloulou,^{1,2} Mathieu Schué,^{1,3} Delphine Puccinelli,² Stéphane Milano,^{4‡}
Chantal Delchambre,² Yves Leblond,^{2,§} René Laugier,^{1,5} and Frédéric Carrière^{1*}

¹CNRS-Aix-Marseille Université-UMR7282 Enzymology at Interfaces and Physiology of Lipolysis, 13009 Marseille, France

²Laboratoires Mayoly Spindler SAS, 78401 Chatou, France

³Proteabio Europe SAS, 30980 Langlade, France

⁴Ricerca Biosciences SAS, 69210 Saint Germain sur l'Arbresle, France

⁵AP-HM, Gastroenterology Department, La Timone Hospital, 13005 Marseille, France

[§]Present address: Proteabio Europe SAS, 30980 Langlade, France

[‡]Present address: WIL Europe Lyon, 69210 Saint-Germain Nuelle, France

Grant Support: This study was supported financially by the Mayoly-Spindler company (Chatou, France) in the framework of a collaborative research agreement 2004 IND 061 with CNRS.

Abbreviations: CFA: coefficient of fat absorption; DAG: diglyceride; MAG: monoglyceride; PEI: pancreatic exocrine insufficiency; PERT: pancreatic enzyme replacement therapy; PPE, porcine pancreatic extracts; PPL: porcine pancreatic lipase; rDGL: recombinant dog gastric lipase; rHPL: recombinant human pancreatic lipase; TAG: triglyceride; USP: United States pharmacopeia; YLLIP2: LIP2 lipase from *Yarrowia lipolytica* yeast.

* *Correspondence to:* Frédéric Carrière, PhD;

Download English Version:

<https://daneshyari.com/en/article/6093204>

Download Persian Version:

<https://daneshyari.com/article/6093204>

[Daneshyari.com](https://daneshyari.com)