## Accepted Manuscript

Hepatocyte NADPH Oxidase 4 Regulates Stress Signaling, Fibrosis, and Insulin Sensitivity During Development of Steatohepatitis in Mice

Ahmed Bettaieb, Joy X. Jiang, Yu Sasaki, Tzu-I. Chao, Zsofia Kiss, Xiangling Chen, Jijing Tian, Masato Katsuyama, Chihiro Yabe-Nishimura, Yannan Xi, Cedric Szyndralewiez, Kathrin Schröder, Ajay Shah, Ralph P. Brandes, Fawaz G. Haj, Natalie J. Török

PII: S0016-5085(15)00509-0 DOI: 10.1053/j.gastro.2015.04.009

YGAST 59717 Reference:

To appear in: Gastroenterology Accepted Date: 7 April 2015

Please cite this article as: Bettaieb A, Jiang JX, Sasaki Y, Chao T-I, Kiss Z, Chen X, Tian J, Katsuyama M, Yabe-Nishimura C, Xi Y, Szyndralewiez C, Schröder K, Shah A, Brandes RP, Haj FG, Török NJ, Hepatocyte NADPH Oxidase 4 Regulates Stress Signaling, Fibrosis, and Insulin Sensitivity During Development of Steatohepatitis in Mice, Gastroenterology (2015), doi: 10.1053/j.gastro.2015.04.009.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

All studies published in Gastroenterology are embargoed until 3PM ET of the day they are published as corrected proofs on-line. Studies cannot be publicized as accepted manuscripts or uncorrected proofs.





## ACCEPTED MANUSCRIPT

Hepatocyte NADPH Oxidase 4 Regulates Stress Signaling, Fibrosis, and Insulin Sensitivity During

Development of Steatohepatitis in Mice

The Role of Hepatocyte NOX4 in Steatohepatitis

Ahmed Bettaieb<sup>1</sup>, Joy X. Jiang<sup>2</sup>, Yu Sasaki<sup>2</sup> Tzu-I Chao<sup>2</sup>, Zsofia Kiss<sup>2</sup> Xiangling Chen<sup>2</sup>, Jijing Tian<sup>2</sup>, Masato Katsuyama<sup>3</sup>, Chihiro Yabe-Nishimura<sup>3</sup>, Yannan Xi<sup>1</sup>, Cedric Szyndralewiez<sup>4</sup>, Kathrin Schröder<sup>5</sup>, Ajay Shah<sup>6</sup>, Ralph P. Brandes<sup>5</sup>, Fawaz G. Haj<sup>1</sup> and Natalie J. Török<sup>2</sup>

<sup>1</sup>Department of Nutrition, UC Davis, Davis, CA, USA, <sup>2</sup>Department of Medicine, Gastroenterology and Hepatology, UC Davis, Sacramento, CA, <sup>3</sup>Kyoto Prefectural University of Medicine, Kyoto, Japan, <sup>4</sup>Genkyotex, Geneva, Switzerland, <sup>5</sup>Wolfgang Goethe University, Frankfurt am Main, Germany, <sup>6</sup>King's College London British Heart Foundation Centre, London, UK

Grant Support: This study was supported by the DK083283 and 01BX002418 (NJT), and DK095359 (FGH)

Abbreviations: HSC, hepatic stellate cells, NADPH oxidase, nicotinamide adenine dinucleotide phosphate reduced oxidase, ROS: reactive oxidative species, PKR: double-stranded RNA-activated protein kinase ASMA, α-smooth muscle actin

Correspondence: Natalie Török, M.D., UC Davis Medical Center, Patient Support Services Building, 4150 V Street, Suite 3500, Sacramento, CA 95817. Email: njtorok@ucdavis.edu; fax: 916-734-7908

Authorship Note: Ahmed Bettaieb and Joy X. Jiang contributed equally to this work.

## Download English Version:

## https://daneshyari.com/en/article/6093367

Download Persian Version:

https://daneshyari.com/article/6093367

<u>Daneshyari.com</u>