Accepted Manuscript

Inhibition of HCV Replication by Cyclophilin Antagonists is Linked to Replication Fitness and Occurs by Inhibition of Membranous Web Formation

Vanesa Madan, David Paul, Volker Lohmann, Ralf Bartenschlager

PII: S0016-5085(14)00146-2
DOI: 10.1053/j.gastro.2014.01.055
Reference: YGAST 58943

To appear in: *Gastroenterology*
Accepted Date: 22 January 2014

Please cite this article as: Madan V, Paul D, Lohmann V, Bartenschlager R, Inhibition of HCV Replication by Cyclophilin Antagonists is Linked to Replication Fitness and Occurs by Inhibition of Membranous Web Formation, *Gastroenterology* (2014), doi: 10.1053/j.gastro.2014.01.055.

Title

Inhibition of HCV Replication by Cyclophilin Antagonists is Linked to Replication Fitness and Occurs by Inhibition of Membranous Web Formation

Short title

Mechanism of HCV inhibition by cyclophilin inhibitors

Authors

Vanesa Madan[1,2], David Paul[1], Volker Lohmann[1] and Ralf Bartenschlager[1,2]

[1]Department for Infectious Diseases, Molecular Virology, Heidelberg University, Heidelberg, Germany; [2]German Center for Infection Research, Heidelberg University

Grant support

This work was supported in part by grants from the Deutsche Forschungsgemeinschaft (SFB/TRR83, TP13 and FOR 1202, TP1).

Abbreviations used in this paper:

Amino acid residues: aas; CypA: cyclophilin A; CsA: cyclosporine A; CsD: cyclosporine D; RLU: Relative light units; HCV: Hepatitis C virus; IFNα: Interferon alpha; IRES: Internal ribosome entry site; pegIFNα: pegylated IFNα; RBV: Ribavirin

***Correspondence**

Phone: +49 6221 564225

Fax: +49 6221 564570

E-mail: Ralf_Bartenschlager@med.uni-heidelberg.de