Accepted Manuscript

Cyclophilin Inhibitors Reduce Phosphorylation of RNA-dependent Protein Kinase to Restore Expression of IFN-stimulated Genes in HCV-infected Cells

Takuji Daito, Koichi Watashi, Ann Sluder, Hirofumi Ohashi, Syo Nakajima, Katyna Borroto-Esoda, Takashi Fujita, Takaji Wakita

 PII:
 S0016-5085(14)00591-5

 DOI:
 10.1053/j.gastro.2014.04.035

 Reference:
 YGAST 59109

To appear in: *Gastroenterology* Accepted Date: 18 April 2014

Please cite this article as: Daito T, Watashi K, Sluder A, Ohashi H, Nakajima S, Borroto-Esoda K, Fujita T, Wakita T, Cyclophilin Inhibitors Reduce Phosphorylation of RNA-dependent Protein Kinase to Restore Expression of IFN-stimulated Genes in HCV-infected Cells, *Gastroenterology* (2014), doi: 10.1053/j.gastro.2014.04.035.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

All studies published in Gastroenterology are embargoed until 3PM ET of the day they are published as corrected proofs on-line. Studies cannot be publicized as accepted manuscripts or uncorrected proofs.



ACCEPTED MANUSCRIPT

Cyclophilin Inhibitors Reduce Phosphorylation of RNA-dependent Protein Kinase to Restore Expression of IFN-stimulated Genes in HCV-infected Cells

Takuji Daito^{1, 2}, Koichi Watashi¹*, Ann Sluder², Hirofumi Ohashi¹, Syo Nakajima¹, Katyna Borroto-Esoda², Takashi Fujita³, Takaji Wakita¹

¹Department of Virology II, National Institute of Infectious Diseases, Tokyo, Japan, ²SCYNEXIS, Inc., Durham, North Carolina, USA, ³Laboratory of Molecular Genetics, Institute for Virus Research, Kyoto University, Kyoto, Japan

*Correspondence: Koichi Watashi, Ph.D.

Department of Virology II, National Institute of Infectious Diseases, Tokyo, Japan

1-23-1 Toyama, Shinjuku-ku, Tokyo, 162-8640, Japan

Tel: +81-3-5285-1111; Fax: +81-3-5285-1161

E-mail: kwatashi@nih.go.jp

Short title: CyP regulates PKR activation and IFN signal

Grant Support: This study was partly supported by grants-in-aid from the Ministry of Health, Labor, and Welfare, Japan, from the Ministry of Education, Culture, Sports, Science, and Technology, Japan, and from Japan Society for the Promotion of Science.

Conflict of Interest: T.D., A.S., and K.B.E. are employees of SCYNEXIS, Inc. The remaining authors disclose no conflict of interest.

Author Contributions: T.D., acquisition of data, analysis and interpretation of data, drafting

Download English Version:

https://daneshyari.com/en/article/6095249

Download Persian Version:

https://daneshyari.com/article/6095249

Daneshyari.com