


# Accepted Manuscript

Alteration of serum *N*-glycan profile in patients with autoimmune pancreatitis

Takeshi Tomoda, MD, Ph.D., Kazuhiro Nouso, MD, Hironari Kato, MD, Koji Miyahara, MD, Chihiro Dohi, MD, M.D. Yuki Morimoto, Hideaki Kinugasa, MD, Yutaka Akimoto, MD, Kazuyuki Matsumoto, MD, Naoki Yamamoto, MD, Yasuhiro Noma, MD, Shigeru Horiguchi, MD, Koichiro Tsutsumi, MD, Maho Amano, Shin-Ichiro Nishimura, Kazuhide Yamamoto, MD



PII: S1424-3903(15)00707-3

DOI: [10.1016/j.pan.2015.11.002](https://doi.org/10.1016/j.pan.2015.11.002)

Reference: PAN 482

To appear in: *Pancreatology*

Received Date: 9 May 2015

Revised Date: 6 October 2015

Accepted Date: 10 November 2015

Please cite this article as: Tomoda T, Nouso K, Kato H, Miyahara K, Dohi C, Yuki Morimoto M, Kinugasa H, Akimoto Y, Matsumoto K, Yamamoto N, Noma Y, Horiguchi S, Tsutsumi K, Amano M, Nishimura S-I, Yamamoto K, Alteration of serum *N*-glycan profile in patients with autoimmune pancreatitis, *Pancreatology* (2015), doi: 10.1016/j.pan.2015.11.002.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Alteration of serum *N*-glycan profile in patients with autoimmune pancreatitis

Takeshi Tomoda, MD<sup>1</sup>, Kazuhiro Nouse, MD<sup>1</sup>, Hironari Kato, MD<sup>1</sup>, Koji Miyahara, MD<sup>1</sup>, Chihiro Dohi, MD<sup>1</sup>, Yuki Morimoto, MD<sup>1</sup>, Hideaki Kinugasa, MD<sup>1</sup>, Yutaka Akimoto, MD<sup>1</sup>, Kazuyuki Matsumoto, MD<sup>1</sup>, Naoki Yamamoto, MD<sup>1</sup>, Yasuhiro Noma, MD<sup>1</sup>, Shigeru Horiguchi, MD<sup>1</sup>, Koichiro Tsutsumi, MD<sup>1</sup>, Maho Amano<sup>2,3</sup>, Shin-Ichiro Nishimura<sup>2,3</sup>, and Kazuhide Yamamoto, MD<sup>1</sup>

<sup>1</sup>Departments of Gastroenterology & Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences, Okayama, Japan; <sup>2</sup>Field of Drug Discovery Research, Faculty of Advanced Life Science & Graduate School of Life Science, Hokkaido University, Sapporo, Hokkaido, Japan; <sup>3</sup>Medicinal Chemistry Pharmaceuticals, Co., Ltd., Sapporo, Hokkaido, Japan

**Corresponding author:**

Takeshi Tomoda, M.D., Ph.D.

Department of Gastroenterology and Hepatology, Okayama University Graduate School of Medicine, Dentistry, and Pharmaceutical Sciences, 2-5-1 Shikata-cho, Kita-ku, Okayama-city, Okayama 700-8558, Japan

Download English Version:

<https://daneshyari.com/en/article/6110589>

Download Persian Version:

<https://daneshyari.com/article/6110589>

[Daneshyari.com](https://daneshyari.com)