

The Impact Of Bariatric Surgery On Retinopathy In Patients With Type 2 Diabetes: A Retrospective Cohort Study

A Amin* ^{1,2}, HM Wharton*^{2,3}, M Clarke^{2,3}, A Syed^{2,3}, PM Dodson^{2,3}, AA Tahrani ^{1,2}

¹ Centre of Endocrinology, Diabetes and Metabolism, University of Birmingham, Birmingham, UK

²Department of Diabetes and Endocrinology, Heart of England NHS Foundation Trust, Birmingham, UK

³ Department of retinal screening, Heart of England NHS Foundation Trust, Birmingham. UK

*AA and HW contributed equally to this manuscript

Corresponding author:

Dr. Abd A Tahrani

Department of Diabetes and Endocrinology,

Birmingham Heartlands Hospital

Birmingham B9 5SS, UK

Mobile: +44-7801549960 Fax: +44-121-4242174

E mail: abd.tahrani@nhs.net

Keywords: bariatric surgery, type 2 diabetes, diabetic retinopathy, maculopathy

Acknowledgment: We thank KH Whitehouse RL Hampshire and NK Bilkhu form the department of retinal screening for their help with data collection.

Funding: This project was funded by the department of diabetes at Birmingham Heartlands Hospital and the National Institute for Health Research (NIHR) in the UK. A. A. T. is a clinician scientist supported by NIHR. The views expressed in this publication are those of the author(s) and not necessarily those of the National Health Service, the NIHR or the Department of Health

Short title: Bariatric surgery and diabetic retinopathy

Download English Version:

<https://daneshyari.com/en/article/6111269>

Download Persian Version:

<https://daneshyari.com/article/6111269>

[Daneshyari.com](https://daneshyari.com)