



**Bariatric Surgery as a Treatment for Idiopathic Intracranial Hypertension:****A Systematic Review**

J.D.Handley MBBCh<sup>a</sup>, B.P.Baruah MBBS MRCS MD<sup>a</sup>, D.M.Williams BSc MBBS<sup>a</sup>, M.Horner BSc MBBS<sup>a</sup>, J.Barry MCh FRCS<sup>a</sup>, J.W.Stephens BSc MBBS PhD FRCP<sup>b</sup>

<sup>a</sup>Welsh Institute of Metabolic and Obesity Surgery, Morriston Hospital, ABMU Health Board, Swansea SA6 6NL, UK.

<sup>b</sup>Diabetes Research Group, Institute of Life Sciences, College of Medicine, Swansea University, Swansea SA2 8PP, UK

Corresponding author:

Joel D Handley, Academic Foundation Year 1 Doctor,

Department of Surgery, Morriston Hospital, Swansea, SA6 6NL

Telephone: +44 1792 704078

Fax: +44 1792 703214

Email: HandleyJ1@cardiff.ac.uk

**Abstract**

*Background:* Idiopathic intracranial hypertension (IIH) is a chronic neurological disease that may result in persistent and debilitating symptoms that are refractory to conventional treatments. *Objectives:* The aim of this study was to systematically review the effect of bariatric weight reduction surgery as a treatment for IIH. *Methods:* A comprehensive

Download English Version:

<https://daneshyari.com/en/article/6111684>

Download Persian Version:

<https://daneshyari.com/article/6111684>

[Daneshyari.com](https://daneshyari.com)