
Accepted Manuscript

Title: Effect of caspofungin and micafungin in combination with farnesol against *Candida parapsilosis* biofilms

Author: Renátó Kovács Aliz Bozó Rudolf Gesztelyi Marianna Domán Gábor Kardos Fruzsina Nagy Zoltán Tóth László Majoros



PII:	S0924-8579(16)00041-8 http://dx.doi.org/doi:10.1016/j.ijantimicag.2016.01.007				
DOI:					
Reference:	ANTAGE 4745				
т :	T T	T 1	C	A	
To appear in:	International	Journal	of	Antimicrobial	Agents
Received date:	14-7-2015				
Revised date:	13-1-2016				
Accepted date:	22-1-2016				

Please cite this article as: Kovács R, Bozó A, Gesztelyi R, Domán M, Kardos G, Nagy F, Tóth Z, Majoros L, Effect of caspofungin and micafungin in combination with farnesol against *Candida parapsilosis* biofilms, *International Journal of Antimicrobial Agents* (2016), http://dx.doi.org/10.1016/j.ijantimicag.2016.01.007

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Highlights

- The interaction of farnesol and echinocandins against *Candida parapsilosis* biofilms was studied.
- FICIs, two methods based on Bliss independence, and time-kill experiments were used.
- Farnesol showed synergism with echinocandins against *C. parapsilosis* biofilms.

• Based on time-kill results, caspofungin + farnesol was effective even at 24 h.

Download English Version:

https://daneshyari.com/en/article/6117595

Download Persian Version:

https://daneshyari.com/article/6117595

Daneshyari.com