

Accepted Manuscript

Exercise intervention increases expression of bone morphogenetic proteins and prevents the progression of cartilage-subchondral bone lesions in a post-traumatic rat knee model

Hiroataka Iijima, MSc, Tomoki Aoyama, MD, PhD, Akira Ito, PhD, Junichi Tajino, PhD, Shoki Yamaguchi, MSc, Momoko Nagai, PhD, Wataru Kiyan, MSc, Xiangkai Zhang, PhD, Hiroshi Kuroki, PhD

PII: S1063-4584(16)00025-X

DOI: [10.1016/j.joca.2016.01.006](https://doi.org/10.1016/j.joca.2016.01.006)

Reference: YJOCA 3670


To appear in: *Osteoarthritis and Cartilage*

Received Date: 28 September 2015

Accepted Date: 10 January 2016

Please cite this article as: Iijima H, Aoyama T, Ito A, Tajino J, Yamaguchi S, Nagai M, Kiyan W, Zhang X, Kuroki H, Exercise intervention increases expression of bone morphogenetic proteins and prevents the progression of cartilage-subchondral bone lesions in a post-traumatic rat knee model, *Osteoarthritis and Cartilage* (2016), doi: 10.1016/j.joca.2016.01.006.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Exercise intervention increases expression of bone morphogenetic proteins and prevents the progression of cartilage-subchondral bone lesions in a post-traumatic rat knee model

Hiroataka Iijima, MSc,^{1,2} Tomoki Aoyama, MD, PhD,³ Akira Ito, PhD,^{2,4} Junichi Tajino, PhD,¹ Shoki Yamaguchi, MSc,^{1,2} Momoko Nagai, PhD,⁵ Wataru Kiyan, MSc,¹ Xiangkai Zhang, PhD,¹ Hiroshi Kuroki, PhD¹

¹Department of Motor Function Analysis, Human Health Sciences, Graduate School of Medicine, Kyoto University, Kyoto, Japan; ²Japan Society for the Promotion of Science, Tokyo, Japan; ³Department of Development and Rehabilitation of Motor Function, Human Health Sciences, Graduate School of Medicine, Kyoto University, Kyoto, Japan; ⁴Department of Orthopaedic Surgery, Graduate School of Medicine, Kyoto University, Kyoto, Japan; ⁵Congenital Anomaly Research Center, Graduate School of Medicine, Kyoto University, Kyoto, Japan

Author e-mail addresses

ijima.hiroataka.75s@st.kyoto-u.ac.jp (HI), aoyama.tomoki.4e@kyoto-u.ac.jp (TM), legacy-tsr.akira_ito@live.jp (AI), junichi_tajino@icloud.com (JT), yamaguchi.shouki.26n@st.kyoto-u.ac.jp (SY), nagai@cac.med.kyoto-u.ac.jp (MN), kiyan.wataru.32c@st.kyoto-u.ac.jp (WK), zhang.xiangkai.48v@st.kyoto-u.ac.jp (XZ), kuroki.hiroshi.6s@kyoto-u.ac.jp (HK)

Corresponding author: Hiroshi Kuroki

53 Shogoin, Kawahara-cho, Sakyo-ku, Kyoto 606-8507, Japan

Download English Version:

<https://daneshyari.com/en/article/6124580>

Download Persian Version:

<https://daneshyari.com/article/6124580>

[Daneshyari.com](https://daneshyari.com)