## Accepted Manuscript

Measures of Hip Morphology are Related to Development of Worsening Radiographic Hip Osteoarthritis Over 6 to 13 Year Follow-Up: The Johnston County Osteoarthritis Project

Amanda E. Nelson, MD MSCR, Jamie L. Stiller, MPH, Xiaoyan A. Shi, PhD, Kirsten M. Leyland, PhD, Jordan B. Renner, MD, Todd A. Schwartz, DrPH, Nigel K. Arden, MBBS FRCP MD MSc, Joanne M. Jordan, MD MPH

PII: S1063-4584(15)01357-6

DOI: 10.1016/j.joca.2015.10.007

Reference: YJOCA 3609

To appear in: Osteoarthritis and Cartilage

Received Date: 27 March 2015

Accepted Date: 13 October 2015

Please cite this article as: Nelson AE, Stiller JL, Shi XA, Leyland KM, Renner JB, Schwartz TA, Arden NK, Jordan JM, Measures of Hip Morphology are Related to Development of Worsening Radiographic Hip Osteoarthritis Over 6 to 13 Year Follow-Up: The Johnston County Osteoarthritis Project, *Osteoarthritis and Cartilage* (2015), doi: 10.1016/j.joca.2015.10.007.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## Measures of Hip Morphology are Related to Development of Worsening Radiographic Hip Osteoarthritis Over 6 to 13 Year Follow-Up: The Johnston County Osteoarthritis Project

Amanda E. Nelson MD MSCR<sup>1,2</sup>, Jamie L. Stiller MPH<sup>1</sup>, Xiaoyan A. Shi PhD<sup>3</sup>, Kirsten M. Leyland PhD<sup>4</sup>, Jordan B. Renner MD<sup>1,5</sup>, Todd A. Schwartz DrPH<sup>1,6</sup>, Nigel K. Arden MBBS FRCP MD MSc<sup>4</sup>, Joanne M. Jordan MD MPH<sup>1,2,7,8</sup>

<sup>1</sup>Thurston Arthritis Research Center, University of North Carolina at Chapel Hill, Chapel Hill, NC USA

<sup>2</sup>Department of Medicine, University of North Carolina at Chapel Hill, Chapel Hill, NC USA <sup>3</sup>SAS Institute, Inc, Cary, NC USA

<sup>4</sup>NIHR Musculoskeletal Biomedical Research Unit and Arthritis Research UK Centre for Sport, Exercise, and Osteoarthritis, University of Oxford, Oxford, UK

<sup>5</sup>Department of Radiology, University of North Carolina at Chapel Hill, Chapel Hill, NC USA <sup>6</sup>Department of Biostatistics, Gillings School of Global Public Health, University of North Carolina at Chapel Hill, Chapel Hill, NC USA

<sup>7</sup>Department of Epidemiology, Gillings School of Global Public Health, University of North Carolina at Chapel Hill, Chapel Hill, NC USA

<sup>8</sup>Department of Orthopaedics, University of North Carolina at Chapel Hill, Chapel Hill, NC USA

Funding was provided in part by: NIAMS K23 AR061406 (Nelson); NIH/NIAMS P60AR30701 (Jordan/Renner/Schwartz); CDC/ASPH S043 and S3486 (Jordan/Renner); Arthritis Research UK supporting the Centre for Sport, Exercise and Osteoarthritis (Leyland/Arden); Development of OxMorf was supported by NIH Download English Version:

## https://daneshyari.com/en/article/6124762

Download Persian Version:

https://daneshyari.com/article/6124762

Daneshyari.com