Accepted Manuscript

Title: Fasciola gigantica enolase is a major component of worm tegumental fraction protective against sheep fasciolosis

Author: N. Mahana H.A.-S. Abd-Allah M. Salah H. Tallima

R.El Ridi

PII: S0001-706X(16)30099-7

DOI: http://dx.doi.org/doi:10.1016/j.actatropica.2016.03.009


Reference: ACTROP 3881

To appear in: Acta Tropica

Received date: 15-10-2015 Revised date: 6-3-2016 Accepted date: 7-3-2016

Please cite this article as: Mahana, N., Abd-Allah, H.A.-S., Salah, M., Tallima, H., Ridi, R.El, Fasciola gigantica enolase is a major component of worm tegumental fraction protective against sheep fasciolosis. Acta Tropica http://dx.doi.org/10.1016/j.actatropica.2016.03.009

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.




ACCEPTED MANUSCRIPT

Fasciola gigantica enolase is a major component of worm tegumental fraction protective against sheep fasciolosis

N. Mahana a, H.A.-S. Abd-Allah a, M. Salah b, H. Tallima c, R. El Ridi a*

E-mail address: rashikaelridi@hotmail.com (R. El Ridi)

Graphical abstract



^a Zoology Department, Faculty of Science, Cairo University, Cairo 12613, Egypt

^b Schistosoma Biological Materials Supply Program, Theodore Bilharz Research Institute, Giza 12411, Egypt

^c Department of Chemistry, School of Science and Engineering, American University in Cairo, New Cairo 11835, Cairo, Egypt

^{*}Corresponding author. Tel.: +202 3567 6708; fax: +202 3760 3735

Download English Version:

https://daneshyari.com/en/article/6126594

Download Persian Version:

https://daneshyari.com/article/6126594

Daneshyari.com