## Accepted Manuscript

A large head circumference is more strongly associated with unplanned cesarean or instrumental delivery and neonatal complications than a high birth weight

Mrs Michal Lipschuetz, Ms Sarah M. Cohen, Ms Eliana Ein-Mor, Hanna Sapir, MD, Drorith Hochner-Celnikier, MD, Shay Porat, MD, PhD, Hagai Amsalem, MD, Dan V. Valsky, MD, Yossef Ezra, MD, Matan Elami-Suzin, MD, Ora Paltiel, MD, Simcha Yagel, MD



PII: S0002-9378(15)00846-7

DOI: 10.1016/j.ajog.2015.07.045

Reference: YMOB 10559

To appear in: American Journal of Obstetrics and Gynecology

Received Date: 28 May 2015

Revised Date: 18 June 2015

Accepted Date: 30 July 2015

Please cite this article as: Lipschuetz M, Cohen SM, Ein-Mor E, Sapir H, Hochner-Celnikier D, Porat S, Amsalem H, Valsky DV, Ezra Y, Elami-Suzin M, Paltiel O, Yagel S, A large head circumference is more strongly associated with unplanned cesarean or instrumental delivery and neonatal complications than a high birth weight, *American Journal of Obstetrics and Gynecology* (2015), doi: 10.1016/ j.ajog.2015.07.045.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

A large head circumference is more strongly associated with unplanned cesarean

or instrumental delivery and neonatal complications than a high birth weight

Mrs Michal LIPSCHUETZ<sup>1</sup>, Ms Sarah M. COHEN<sup>1</sup>, Ms Eliana EIN-MOR<sup>1,2</sup>, Hanna SAPIR<sup>1</sup>, MD, Drorith HOCHNER-CELNIKIER<sup>1</sup>, MD, Shay PORAT<sup>1</sup>, MD, PhD, Hagai AMSALEM<sup>1</sup>, MD, Dan V. VALSKY<sup>1</sup>, MD, Yossef EZRA<sup>1</sup>, MD, Matan ELAMI-SUZIN<sup>1</sup>, MD, Ora PALTIEL<sup>2</sup>, MD, Simcha YAGEL<sup>1</sup>, MD <sup>1</sup>Division of Obstetrics and Gynecology, Hadassah-Hebrew University Medical Centers Jerusalem,

Israel

<sup>2</sup>Braun School of Public Health and Community Medicine, Faculty of Medicine of the Hebrew University and Hadassah, Jerusalem, Israel

Address for correspondence:

Prof. Simcha Yagel Division of Obstetrics and Gynecology Hadassah-Hebrew University Medical Centers Jerusalem, Israel Email: <u>simcha.yagel@gmail.com</u> Phone: +972-2-5844111 Fax: +972-2-5815370

Source of the work: Hadassah-Hebrew University Medical Centers, Jerusalem, Israel

Financial support: None.

Funding: None.

The authors report no conflict of interest.

**Presentations:** Paper was presented at the Annual Meeting of the Israel Society of Maternal-Fetal Medicine, 2014, and the Society of Reproductive Investigation Annual Conference, 2015.

## Word count:

Abstract: 369 Text: 3427 Download English Version:

## https://daneshyari.com/en/article/6143851

Download Persian Version:

https://daneshyari.com/article/6143851

Daneshyari.com