Accepted Manuscript

Consistently Inconsistent, the Posterior Vaginal Wall

Douglass S. Hale, MD, FACOG, FACS, FPMRS, Dee Fenner, MD, FACOG, FPMRS

PII: S0002-9378(15)01025-X

DOI: 10.1016/j.ajog.2015.09.001

Reference: YMOB 10641

To appear in: American Journal of Obstetrics and Gynecology

Received Date: 6 July 2015

Revised Date: 29 August 2015

Accepted Date: 1 September 2015

Please cite this article as: Hale DS, Fenner D, Consistently Inconsistent, the Posterior Vaginal Wall, *American Journal of Obstetrics and Gynecology* (2015), doi: 10.1016/j.ajog.2015.09.001.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Consistently Inconsistent, the Posterior Vaginal Wall

Authors:

1. Douglass S. Hale, MD, FACOG, FACS, FPMRS

Director Female Pelvic Medicine and Reconstructive Surgery Indiana University Health

Systems

Division of Female Pelvic Medicine and Reconstructive Surgery

Clinical Professor Indiana University School of Medicine

Indianapolis, IN 46202

2. Dee Fenner, MD, FACOG, FPMRS

Furlong Professor of Women's Health, Director of Gynecology

Associate Chair for Surgical Services, Dept. of Obstetrics and Gynecology

University of Michigan

Ann Arbor, MI 48109-6295

Conflict of Interest (see attached COI form)

Douglass Hale - investigator Allergan, reviewer for Up to Date, AUGS President Elect

Dee Fenner – investigator AMS

Corresponding Author

Download English Version:

https://daneshyari.com/en/article/6144643

Download Persian Version:

https://daneshyari.com/article/6144643

Daneshyari.com