# **Accepted Manuscript**

Functional electrical stimulation assisted active cycling – Therapeutic effects in patients with hemiparesis from 7 days to 6 months after stroke. A randomized controlled pilot study

Petra Bauer, MSc Carmen Krewer, PhD Stefan Golaszewski, MD Eberhard Koenig, MD Friedemann Müller, MD, MSc

PII: S0003-9993(14)01158-7

DOI: 10.1016/j.apmr.2014.09.033

Reference: YAPMR 56000

To appear in: ARCHIVES OF PHYSICAL MEDICINE AND REHABILITATION

Received Date: 16 April 2014

Revised Date: 24 September 2014 Accepted Date: 25 September 2014

Please cite this article as: Bauer P, Krewer C, Golaszewski S, Koenig E, Müller F, Functional electrical stimulation assisted active cycling – Therapeutic effects in patients with hemiparesis from 7 days to 6 months after stroke. A randomized controlled pilot study, *ARCHIVES OF PHYSICAL MEDICINE AND REHABILITATION* (2014), doi: 10.1016/j.apmr.2014.09.033.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## ACCEPTED MANUSCRIPT

Active FES cycling for stroke patients

Functional electrical stimulation assisted active cycling – Therapeutic effects in patients with hemiparesis from 7 days to 6 months after stroke. A randomized controlled pilot study.

<u>Petra Bauer, MSc<sup>1</sup></u>,<sup>3</sup>; Carmen Krewer, PhD<sup>1</sup>; Stefan Golaszewski, MD<sup>2,3</sup>; Eberhard Koenig, MD<sup>1</sup>; Friedemann Müller, MD, MSc<sup>1</sup>

#### Acknowledgements:

The authors would like to thank the patients for their participation, Tim Große and Anja

Haase for doing the assessments, the assistants for their help with cycling interventions, Silke

Heller and the team of physiotherapists for support with patient recruitment and Judy Benson

for copyediting the manuscript.

The authors also would like to thank the companies Reck GmbH for providing the cycle ergometer (MOTOmed viva 2) and Hasomed GmbH for the electrical stimulator (RehaStim 2).

Presented in part to the European Congress of Neurorehabilitation (ENRC Conference),
October 2011 in Meran, Italy and to the Austrian Congress of Neurorehabilitation (ÖGNR
Congress), November 2012 in Salzburg, Austria.

<sup>&</sup>lt;sup>1</sup> Schön Klinik Bad Aibling, Kolbermoorer Str. 72, 83043 Bad Aibling, Germany

<sup>&</sup>lt;sup>2</sup> Department of Neurology and Neuroscience Institute, Christian Doppler Clinic, Paracelsus Medical University Salzburg, Ignaz-Harrer-Strasse 79, 5020 Salzburg, Austria

<sup>&</sup>lt;sup>3</sup> Paracelsus Medical University Salzburg, Strubergasse 21, 5020 Salzburg, Austria

## Download English Version:

# https://daneshyari.com/en/article/6149398

Download Persian Version:

https://daneshyari.com/article/6149398

<u>Daneshyari.com</u>