

Accepted Manuscript

Reproducibility of cervical intraepithelial neoplasia diagnosis on histological review of cervical punch biopsies from a visual inspection with acetic acid and HPV detection-based screening program

Srabani Mittal, Ishita Ghosh, Dipanwita Banerjee, Priyanka Singh, Jaydip Biswas, Raje Nijhawan, Radhika Srinivasan, Chinmayi Ray, Partha Basu



PII: S0020-7292(14)00252-5
DOI: doi: [10.1016/j.ijgo.2014.03.037](https://doi.org/10.1016/j.ijgo.2014.03.037)
Reference: IJG 7986

To appear in: *International Journal of Gynecology and Obstetrics*

Received date: 22 October 2013
Revised date: 21 March 2014
Accepted date: 20 May 2014

Please cite this article as: Mittal Srabani, Ghosh Ishita, Banerjee Dipanwita, Singh Priyanka, Biswas Jaydip, Nijhawan Raje, Srinivasan Radhika, Ray Chinmayi, Basu Partha, Reproducibility of cervical intraepithelial neoplasia diagnosis on histological review of cervical punch biopsies from a visual inspection with acetic acid and HPV detection-based screening program, *International Journal of Gynecology and Obstetrics* (2014), doi: [10.1016/j.ijgo.2014.03.037](https://doi.org/10.1016/j.ijgo.2014.03.037)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

CLINICAL ARTICLE

Reproducibility of cervical intraepithelial neoplasia diagnosis on histological review of cervical punch biopsies from a visual inspection with acetic acid and HPV detection-based screening program

Srabani Mittal ^a, Ishita Ghosh ^a, Dipanwita Banerjee ^a, Priyanka Singh ^a, Jaydip Biswas ^b, Raje Nijhawan ^c, Radhika Srinivasan ^c, Chinmayi Ray ^d, Partha Basu ^{a,*}

^a Department of Gynecologic Oncology, Chittaranjan National Cancer Institute, Kolkata, India

^b Department of Surgical Oncology, Chittaranjan National Cancer Institute, Kolkata, India

^c Department of Cytology and Gynecological Pathology, Postgraduate Institute of Medical Education and Research, Chandigarh, India

^d Department of Pathology, Chittaranjan National Cancer Institute, Kolkata, India

* Corresponding author: Partha Basu

Department of Gynecologic Oncology, Chittaranjan National Cancer Institute, 37, S.

P. Mukherjee Road, Kolkata, 700026, India. Tel.: +91 9331034069; fax: +91

3324851558.

E-mail address: basupartha@hotmail.com

Keywords: Cervical cancer screening; Cervical intraepithelial neoplasia; Histology; HPV test; Hybrid Capture 2; Reproducibility; Visual inspection with acetic acid

Download English Version:

<https://daneshyari.com/en/article/6186884>

Download Persian Version:

<https://daneshyari.com/article/6186884>

[Daneshyari.com](https://daneshyari.com)