

Accepted Manuscript

Abbreviated (12-hour) versus traditional (24-hour) postpartum magnesium sulfate therapy in severe pre-eclampsia

Sabina B. Maia, Leila Katz, Carlos Noronha Neto, Bárbara V.R. Caiado, Ana P.R.L. Azevedo, Melania M.R. Amorim

PII: S0020-7292(14)00234-3
DOI: doi: [10.1016/j.ijgo.2014.03.024](https://doi.org/10.1016/j.ijgo.2014.03.024)
Reference: IJG 7968

To appear in: *International Journal of Gynecology and Obstetrics*

Received date: 7 September 2013
Revised date: 11 March 2014
Accepted date: 30 April 2014



Please cite this article as: Maia Sabina B., Katz Leila, Neto Carlos Noronha, Caiado Bárbara V.R., Azevedo Ana P.R.L., Amorim Melania M.R., Abbreviated (12-hour) versus traditional (24-hour) postpartum magnesium sulfate therapy in severe pre-eclampsia, *International Journal of Gynecology and Obstetrics* (2014), doi: [10.1016/j.ijgo.2014.03.024](https://doi.org/10.1016/j.ijgo.2014.03.024)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

CLINICAL ARTICLE

Abbreviated (12-hour) versus traditional (24-hour) postpartum magnesium sulfate therapy in severe pre-eclampsia

Sabina B. Maia ^a, Leila Katz ^a, Carlos Noronha Neto ^a, Bárbara V.R. Caiado ^b, Ana P.R.L. Azevedo ^a, Melania M.R. Amorim ^{a,*}

^a Instituto de Medicina Integral Professor Fernando Figueira, Recife, Brazil

^b Faculdade Pernambucana de Saúde, Recife, Brazil

* Corresponding author: Melania Maria Ramos de Amorim

Rua Neuza Borborema de Souza, 300, Bairro Santo Antônio, 58406-120, Campina Grande, PB, Brazil. Tel.: +55 8388221514; fax: +55 8333424525.

E-mail address: melania.amorim@gmail.com

Keywords: Magnesium sulfate therapy; Postpartum; Pre-eclampsia

Synopsis: Abbreviated (12-hour) treatment with magnesium sulfate in patients with stable severe pre-eclampsia was associated with less drug exposure, similar outcomes, and certain benefits.

Download English Version:

<https://daneshyari.com/en/article/6186898>

Download Persian Version:

<https://daneshyari.com/article/6186898>

[Daneshyari.com](https://daneshyari.com)