Accepted Manuscript

A randomized comparative trial of early initiation of oral maternal feeding versus conventional oral feeding after cesarean delivery

Shabeen N. Masood, Yasir Masood, Uzma Naim, Muhammad F. Masood

 PII:
 S0020-7292(14)00202-1

 DOI:
 doi: 10.1016/j.ijgo.2014.02.023

 Reference:
 IJG 7959

Granden and a second and a seco

To appear in: International Journal of Gynecology and Obstetrics

Received date:2 October 2013Revised date:21 February 2014Accepted date:20 April 2014

Please cite this article as: Masood Shabeen N., Masood Yasir, Naim Uzma, Masood Muhammad F., A randomized comparative trial of early initiation of oral maternal feeding versus conventional oral feeding after cesarean delivery, *International Journal of Gynecology and Obstetrics* (2014), doi: 10.1016/j.ijgo.2014.02.023

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

CLINICAL ARTICLE

A randomized comparative trial of early initiation of oral maternal feeding versus conventional oral feeding after cesarean delivery

Shabeen N. Masood ^{a,*}, Yasir Masood ^b, Uzma Naim ^c, Muhammad F. Masood ^d

^a Sobhraj Maternity Hospital, Karachi Metropolitan Corporation, Karachi, Pakistan

^b Department of Surgery, Ziauddin Medical University, Karachi, Pakistan

^c Department of Surgery, Wayne State University, Detroit, USA

^d Department of Cardiothoracic Surgery, University of Pittsburgh Medical Center, Pittsburgh, USA

* Corresponding author: Shabeen N. Masood
U-19, Hasan Apartment Extension, Hasan Square, Gulshan-e-Iqbal, Block-13D,
Karachi 75300, Pakistan. Tel.: +92 3332233414; fax: +92 2134856118.
E-mail address: sh_naz@yahoo.com

Keywords: Day-care cesarean delivery; Early ambulation; Early oral maternal feeding; Length of hospital stay; Maternal satisfaction; Maternal thirst and hunger

Synopsis: Early oral maternal feeding after cesarean delivery resulted in early ambulation, maternal satisfaction, and shorter hospital stay, indicating cost savings and potential for day-care surgery.

Download English Version:

https://daneshyari.com/en/article/6187642

Download Persian Version:

https://daneshyari.com/article/6187642

Daneshyari.com