Accepted Manuscript

Title: Correlation between flocculation and adsorption of cationic polyacrylamides on precipitated calcium carbonate

Author: Maria G. Rasteiro Ineide Pinheiro Hamideh Ahmadloo David Hunkeler Fernando A.P. Garcia 1 Paulo Ferreira Christine Wandrey

PII: S0263-8762(14)00484-5

DOI: http://dx.doi.org/doi:10.1016/j.cherd.2014.11.007

Reference: CHERD 1738

To appear in:

Received date: 28-6-2014 Revised date: 8-11-2014 Accepted date: 13-11-2014

Please cite this article as: Rasteiro, M.G., Pinheiro, I., Ahmadloo, H., Hunkeler, D., Garcia1, F.A.P., Ferreira, P., Wandrey, C., Correlation between flocculation and adsorption of cationic polyacrylamides on precipitated calcium carbonate, *Chemical Engineering Research and Design* (2014), http://dx.doi.org/10.1016/j.cherd.2014.11.007

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Correlation between flocculation and adsorption of cationic
polyacrylamides on precipitated calcium carbonate
Maria G. Rasteiro ^{a,1} , Ineide Pinheiro ^a , Hamideh Ahmadloo ^b , David Hunkeler ^c ,
Fernando A. P. Garcia1 ^a , Paulo Ferreira ^a and Christine Wandrey ^b
^a CIEPQPF and Department of Chemical Engineering, University of Coimbra, Polo II,
Coimbra, Portugal
^b Institut d'Ingénierie Biologique et Institut des Sciences et Ingénierie Chimiques, École
Polytechnique Fédérale de Lausanne, station 15, CH-1015, Lausanne, Switzerland
^c AQUA + TECH, Chemin du Chalet-du-Bac 4, CH-1283 La Plaine CP 28, Geneva,
Switzerland
Influence of C-PAM characteristics on adsorption on PCC particles was evaluated The Lorentzian model describes well the superimental edgeration.
 The Langmuir isotherm model describes well the experimental adsorption results Correlation between adsorption and kinetics of the 1st flocculation stage was found Floc structure correlates with maximum amount of C-PAM adsorbed on particles surface

Author to whom correspondence should be addressed: Chemical Eng. Dep., University of Coimbra, Rua Sílvio Lima, Coimbra, Portugal, tel: 351239798700; fax: 351239798703; email: mgr@eq.uc.pt

Download English Version:

https://daneshyari.com/en/article/620559

Download Persian Version:

https://daneshyari.com/article/620559

<u>Daneshyari.com</u>