Accepted Manuscript

Can bronchial asthma with an highly prevalent airway (and systemic) vagal tone be considered an independent asthma phenotype? Possible role of anticholinergics

Gennaro Liccardi, Antonello Salzillo, Luigino Calzetta, Mario Cazzola, Maria Gabriella Matera, Paola Rogliani

PII: S0954-6111(16)30113-5

DOI: 10.1016/j.rmed.2016.05.026

Reference: YRMED 4931

To appear in: Respiratory Medicine

Received Date: 24 December 2015

Revised Date: 20 March 2016 Accepted Date: 30 May 2016

Please cite this article as: Liccardi G, Salzillo A, Calzetta L, Cazzola M, Matera MG, Rogliani P, Can bronchial asthma with an highly prevalent airway (and systemic) vagal tone be considered an independent asthma phenotype? Possible role of anticholinergics, *Respiratory Medicine* (2016), doi: 10.1016/j.rmed.2016.05.026.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



1

Can bronchial asthma with an highly prevalent airway (and systemic) vagal tone be considered an independent asthma phenotype? Possible role of anticholinergics.

Gennaro Liccardi ^{a-b*}, Antonello Salzillo^a, Luigino Calzetta^{b-c}, Mario Cazzola^{b-c}, Maria Gabriella Matera^d and Paola Rogliani^{b-c}

^aDepartment of Pulmonology, Haematology and Oncology. Division of Pneumology and Allergology. High Speciality "A.Cardarelli" Hospital, Naples Italy

^bPostgraduate School of Respiratory Medicine. Department of Systems Medicine, University of Rome Tor Vergata, Rome, Italy

^cDepartment of Systems Medicine, University of Rome Tor Vergata, Rome, Italy

^dDepartment of Experimental Medicine, Second University of Naples, Naples, Italy

Word count: 1896

Short title: Increased cholinergic tone and asthma

Figure: n° 1

Key words: Abdominal pain, airway hyperreactivity, anticholinergics, asthma phenotype, bronchial asthma, gastro-esophageal reflux, increased cholinergic tone, stress,

Summary statement: an increased airway (and systemic) cholinergic tone might be a peculiar pattern in some asthmatic individuals and likely constitute an ideal target for the use of anticholinergics.

Authorship: All authors contributed equally in the writing and revision of the manuscript.

Financial disclosure / conflict of interest: All authors declare that they have no conflict of interest and that the study has been carried out without any financial support.

Corresponding author

- *Gennaro Liccardi, MD
- Department of Pulmonology, Haematology and Oncology. Division of Pneumology and Allergology. High Speciality "A.Cardarelli" Hospital, Piazzetta Arenella n° 7, 80128 Naples, Italy
- Postgraduate School of Respiratory Medicine. Department of Systems Medicine, University of Rome Tor Vergata, Rome, Italy

Phone: +390817473335-4-3; Fax: +390817473331; E-mail gennaro.liccardi@tin.it

Summary

Download English Version:

https://daneshyari.com/en/article/6241200

Download Persian Version:

https://daneshyari.com/article/6241200

<u>Daneshyari.com</u>