

## Accepted Manuscript

Activation of cerebral sodium-glucose transporter type 1 function mediated by post-ischemic hyperglycemia exacerbates the development of cerebral ischemia

Yui Yamazaki, Sachi Ogihara, Shinichi Harada, Shogo Tokuyama


PII: S0306-4522(15)00912-4

DOI: <http://dx.doi.org/10.1016/j.neuroscience.2015.10.005>

Reference: NSC 16634

To appear in: *Neuroscience*

Accepted Date: 3 October 2015



Please cite this article as: Y. Yamazaki, S. Ogihara, S. Harada, S. Tokuyama, Activation of cerebral sodium-glucose transporter type 1 function mediated by post-ischemic hyperglycemia exacerbates the development of cerebral ischemia, *Neuroscience* (2015), doi: <http://dx.doi.org/10.1016/j.neuroscience.2015.10.005>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Research Article

Activation of cerebral sodium-glucose transporter type 1 function mediated by post-ischemic hyperglycemia exacerbates the development of cerebral ischemia

Yui Yamazaki, Sachi Ogihara, Shinichi Harada, Shogo Tokuyama\*

**\*Corresponding author:**

Shogo Tokuyama

Department of Clinical Pharmacy, School of Pharmaceutical Sciences, Kobe Gakuin University, 1-1-3

Minatojima, Chuo-ku, Kobe 650-8586, Japan

Tel and Fax: +81-78-974-4780

E-mail: stoku@pharm.kobegakuin.ac.jp

Department of Clinical Pharmacy, School of Pharmaceutical Sciences, Kobe Gakuin University (Y.Y.,

S.O., S.H., S.T.)

Download English Version:

<https://daneshyari.com/en/article/6271590>

Download Persian Version:

<https://daneshyari.com/article/6271590>

[Daneshyari.com](https://daneshyari.com)