

Hippocampal sharp waves and ripples: Effects of aging and modulation by NMDA receptors and L-type Ca^{2+} channels

Stylianos Kouvaros, Dimitrios Kotzadimitriou, Costas Papatheodoropoulos

PII: S0306-4522(15)00343-7
DOI: http://dx.doi.org/10.1016/j.neuroscience.2015.04.012
Reference: NSC 16192

To appear in: *Neuroscience*

Accepted Date: 6 April 2015

Please cite this article as: S. Kouvaros, D. Kotzadimitriou, C. Papatheodoropoulos, Hippocampal sharp waves and ripples: Effects of aging and modulation by NMDA receptors and L-type Ca^{2+} channels, *Neuroscience* (2015), doi: http://dx.doi.org/10.1016/j.neuroscience.2015.04.012

Hippocampal sharp waves and ripples:

Effects of aging and modulation by NMDA receptors and L-type Ca^{2+} channels.

Stylianos Kouvaros[1], Dimitrios Kotzadimitriou[1,2] and Costas Papatheodoropoulos[1]*

[1]*Laboratory of Physiology, Department of Medicine, University of Patras, 26504 Rion, Greece.*

[2]Present address: Medical Research Council Anatomical Neuropharmacology Unit, Department of Pharmacology, Oxford University, Oxford, UK.

**Corresponding author*:

Costas Papatheodoropoulos

Lab of Physiology

Medical School

University of Patras

26 500 Rio, Patras, Greece.

Tel. + 30 2610 969117 Fax: + 30 2610 997215

e-mail: cepapath@upatras.gr