

Accepted Manuscript

Title: Chronic treatment with mood stabilizer lithium inhibits amphetamine-induced risk-taking manic-like behaviors

Author: Zhu Zhou Ying Wang Hua Tan Veni Bharti Yi Che Jun-Feng Wang



PII: S0304-3940(15)30047-1
DOI: <http://dx.doi.org/doi:10.1016/j.neulet.2015.07.027>
Reference: NSL 31450

To appear in: *Neuroscience Letters*

Received date: 31-3-2015
Revised date: 22-7-2015
Accepted date: 23-7-2015

Please cite this article as: Zhu Zhou, Ying Wang, Hua Tan, Veni Bharti, Yi Che, Jun-Feng Wang, Chronic treatment with mood stabilizer lithium inhibits amphetamine-induced risk-taking manic-like behaviors, *Neuroscience Letters* <http://dx.doi.org/10.1016/j.neulet.2015.07.027>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Chronic treatment with mood stabilizer lithium inhibits amphetamine-induced risk-taking manic-like behaviors

Zhu Zhou^{a,b,d}, Ying Wang^{a,b}, Hua Tan^{a,b}, Veni Bharti^{a,b}, Yi Che^d, Jun-Feng Wang^{a,b,c*}

a. Kleysen Institute for Advanced Medicine, Health Sciences Centre, Winnipeg, Canada

b. Departments of Pharmacology and Therapeutics, University of Manitoba, Winnipeg, Canada

c. Departments of Psychiatry, University of Manitoba, Winnipeg, Canada

d. Medical College of Soochow University, Suzhou, P. R. China

***Corresponding author:**

Jun-Feng Wang

Kleysen Institute for Advanced Medicine, Health Sciences Centre

SR436 - 710 William Avenue

Winnipeg, MB R3E 0Z3

Email: jun-feng.wang@umanitoba.ca

Tel: 1-204-975-7705

ABSTRACT

A lack of behavioral tests and animal models for manic-depressive bipolar disorder is recognized as an important factor limiting development of novel pharmaceutical treatments for the disorder. Repeated amphetamine-induced hyperactivity is a commonly used animal model for

Download English Version:

<https://daneshyari.com/en/article/6280680>

Download Persian Version:

<https://daneshyari.com/article/6280680>

[Daneshyari.com](https://daneshyari.com)