

Author's Accepted Manuscript

Proton Conductivity Improvement of Sulfonated Poly(ether ether ketone) Nanocomposite Membranes with Sulfonated Halloysite Nanotubes Prepared via Dopamine-Initiated Atom Transfer Radical Polymerization

Xin Liu, Shaojian He, Ge Song, Huina Jia, Zhenzhen Shi, Shanxin Liu, Liqun Zhang, Jun Lin, Sergei Nazarenko



PII: S0376-7388(16)30022-9
DOI: <http://dx.doi.org/10.1016/j.memsci.2016.01.023>
Reference: MEMSCI14232

To appear in: *Journal of Membrane Science*

Received date: 20 October 2015
Revised date: 7 January 2016
Accepted date: 11 January 2016

Cite this article as: Xin Liu, Shaojian He, Ge Song, Huina Jia, Zhenzhen Shi, Shanxin Liu, Liqun Zhang, Jun Lin and Sergei Nazarenko, Proton Conductivity Improvement of Sulfonated Poly(ether ether ketone) Nanocomposite Membrane with Sulfonated Halloysite Nanotubes Prepared via Dopamine-Initiated Atom Transfer Radical Polymerization, *Journal of Membrane Science* <http://dx.doi.org/10.1016/j.memsci.2016.01.023>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Proton Conductivity Improvement of Sulfonated Poly(ether ether ketone)
Nanocomposite Membranes with Sulfonated Halloysite Nanotubes Prepared via
Dopamine-Initiated Atom Transfer Radical Polymerization**

Xin Liu ^{a,b,c}, Shaojian He ^{a,*}, Ge Song ^a, Huina Jia ^a, Zhenzhen Shi ^a, Shanxin Liu ^a,
Liqun Zhang ^{b,c}, Jun Lin ^{a,*}, Sergei Nazarenko ^d

^a School of Renewable Energy, North China Electric Power University, Beijing
102206, P. R. China

^b Key Laboratory of Beijing City for Preparation and Processing of Novel Polymer
Materials, Beijing University of Chemical Technology, Beijing 100029, P. R. China

^c State Key Laboratory of Organic-Inorganic Composites, Beijing University of
Chemical Technology, Beijing 100029, P. R. China

^d School of Polymers and High Performance Materials, The University of Southern
Mississippi, Hattiesburg, MS 39406, USA

Corresponding authors:

* Shaojian He: School of Renewable Energy, North China Electric Power University,
Beijing 102206, P. R. China, Telephone: 86-10-61772043; Fax: 86-10-61772185;
E-mail: heshaojian@ncepu.edu.cn

* Jun Lin: School of Renewable Energy, North China Electric Power University,
Beijing 102206, P. R. China, Telephone: 86-10-61772185; Fax: 86-10-61772185;
E-mail: jun.lin@ncepu.edu.cn

Download English Version:

<https://daneshyari.com/en/article/632467>

Download Persian Version:

<https://daneshyari.com/article/632467>

[Daneshyari.com](https://daneshyari.com)