

Accepted Manuscript

Modeling of atmospheric OH reaction rates using use newly developed variable distance weighted zero order connectivity index

Jernej Markelj, Matevž Pompe



PII: S1352-2310(16)30135-2

DOI: [10.1016/j.atmosenv.2016.02.022](https://doi.org/10.1016/j.atmosenv.2016.02.022)

Reference: AEA 14457

To appear in: *Atmospheric Environment*

Received Date: 4 November 2015


Revised Date: 9 February 2016

Accepted Date: 15 February 2016

Please cite this article as: Markelj, J., Pompe, M., Modeling of atmospheric OH reaction rates using use newly developed variable distance weighted zero order connectivity index, *Atmospheric Environment* (2016), doi: 10.1016/j.atmosenv.2016.02.022.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ABSTRACTION
reaction pathway





ADDITION
reaction pathway

R(1-6)=alkyl group or H atom



**MACi enables STRUCTURAL
INTERPRETATION**



Download English Version:

<https://daneshyari.com/en/article/6336511>

Download Persian Version:

<https://daneshyari.com/article/6336511>

[Daneshyari.com](https://daneshyari.com)