

Accepted Manuscript

Paleoecology of archaeocete whales throughout the Eocene: Dietary adaptations revealed by microwear analysis

Julia M. Fahlke, Katharina A. Bastl, Gina M. Semprebon, Philip D. Gingerich


PII: S0031-0182(13)00320-9
DOI: doi: [10.1016/j.palaeo.2013.06.032](https://doi.org/10.1016/j.palaeo.2013.06.032)
Reference: PALAEO 6556

To appear in: *Palaeogeography, Palaeoclimatology, Palaeoecology*

Received date: 13 February 2013
Revised date: 20 June 2013
Accepted date: 23 June 2013

Please cite this article as: Fahlke, Julia M., Bastl, Katharina A., Semprebon, Gina M., Gingerich, Philip D., Paleoecology of archaeocete whales throughout the Eocene: Dietary adaptations revealed by microwear analysis, *Palaeogeography, Palaeoclimatology, Palaeoecology* (2013), doi: [10.1016/j.palaeo.2013.06.032](https://doi.org/10.1016/j.palaeo.2013.06.032)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Paleoecology of archaeocete whales throughout the Eocene: dietary adaptations revealed by microwear analysis

Julia M. Fahlke ^{a,*}, Katharina A. Bastl ^{b,c}, Gina M. Semprebon ^d, Philip D. Gingerich ^e

^a Museum für Naturkunde, Leibniz-Institut für Evolutions- und Biodiversitätsforschung, Invalidenstraße 43, D-10115 Berlin, Germany

^b Institut für Paläontologie, Universität Wien, Althanstraße 14, A-1090 Vienna, Austria

^c HNO-Klinik der Medizinischen Universität Wien, Forschungsgruppe Aerobiologie und Polleninformation, Währinger Gürtel 18-20, A-1090 Vienna, Austria

^d Department of Biology, Bay Path College, 588 Longmeadow Street, Longmeadow, MA 01106, USA

^e Museum of Paleontology, University of Michigan, 1109 Geddes Avenue, Ann Arbor, MI 48109-1079, USA

* Corresponding author. Tel: +49 (0)30 2093 8964, Fax: +49 (0)30 2093 8565

E-mail addresses: Julia.Fahlke@mfn-berlin.de (J. M. Fahlke), katharina.bastl@meduniwien.ac.at (K. A. Bastl), gsempreb@baypath.edu (G. M. Semprebon), gingeric@umich.edu (P. D. Gingerich).

ABSTRACT

Archaeocete whales originated from within terrestrial artiodactyls around the Paleocene-Eocene boundary and gave rise to modern toothed whales (Odontoceti) and baleen whales (Mysticeti) at the end of the Eocene. The cetacean transition from life on land to life in water is documented by

Download English Version:

<https://daneshyari.com/en/article/6350384>

Download Persian Version:

<https://daneshyari.com/article/6350384>

[Daneshyari.com](https://daneshyari.com)