

Accepted Manuscript

Impact of Electrode Configurations on Retention Time and Domestic Wastewater Treatment Efficiency Using Microbial Fuel Cells

Kyoung-Yeol Kim, Wulin Yang, Bruce E. Logan



PII: S0043-1354(15)00300-0

DOI: [10.1016/j.watres.2015.05.021](https://doi.org/10.1016/j.watres.2015.05.021)

Reference: WR 11296

To appear in: *Water Research*



Received Date: 20 March 2015

Revised Date: 5 May 2015

Accepted Date: 7 May 2015

Please cite this article as: Kim, K.-Y., Yang, W., Logan, B.E., Impact of Electrode Configurations on Retention Time and Domestic Wastewater Treatment Efficiency Using Microbial Fuel Cells, *Water Research* (2015), doi: 10.1016/j.watres.2015.05.021.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



1
2

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/6365663>

Download Persian Version:

<https://daneshyari.com/article/6365663>

[Daneshyari.com](https://daneshyari.com)