

Accepted Manuscript

Chronic effects of temperature and nitrate pollution on *Daphnia magna*: is this cladoceran suitable for widespread use as a tertiary treatment?

Alberto Maceda-Veiga, Gordon Webster, Oriol Canals, Humbert Salvadó, Andrew J. Weightman, Jo Cable



PII: S0043-1354(15)30086-5

DOI: [10.1016/j.watres.2015.06.036](https://doi.org/10.1016/j.watres.2015.06.036)

Reference: WR 11377

To appear in: *Water Research*

Received Date: 12 February 2015


Revised Date: 11 May 2015

Accepted Date: 21 June 2015

Please cite this article as: Maceda-Veiga, A., Webster, G., Canals, O., Salvadó, H., Weightman, A.J., Cable, J., Chronic effects of temperature and nitrate pollution on *Daphnia magna*: is this cladoceran suitable for widespread use as a tertiary treatment?, *Water Research* (2015), doi: 10.1016/j.watres.2015.06.036.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

The efficacy of *Daphnia magna* as a tertiary treatment can be compromised under elevated temperature and/or nitrate levels



Download English Version:

<https://daneshyari.com/en/article/6365745>

Download Persian Version:

<https://daneshyari.com/article/6365745>

[Daneshyari.com](https://daneshyari.com)