


Accepted Manuscript

Effects of Holding Time and Measurement Error on Culturing Legionella in Environmental Water Samples

W. Dana Flanders , Kimberly H. Kirkland , Brian G. Shelton



PII: S0043-1354(14)00378-9

DOI: [10.1016/j.watres.2014.05.025](https://doi.org/10.1016/j.watres.2014.05.025)

Reference: WR 10679

To appear in: *Water Research*

Received Date: 2 October 2013

Revised Date: 9 May 2014


Accepted Date: 19 May 2014

Please cite this article as: Dana Flanders, W., Kirkland, K.H., Shelton, B.G., Effects of Holding Time and Measurement Error on Culturing Legionella in Environmental Water Samples, *Water Research* (2014), doi: 10.1016/j.watres.2014.05.025.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.


Effect of a Holding/Shipping Time on *Legionella* Culture Results?

159 Water Samples



Process 8 Subsamples
Immediately

16 Subsamples
to Control for
Measurement Error



Hold 8 Subsamples for 24 hrs
Before Processing



NO
Meaningful Effect



Download English Version:

<https://daneshyari.com/en/article/6366704>

Download Persian Version:

<https://daneshyari.com/article/6366704>

[Daneshyari.com](https://daneshyari.com)