

Accepted Manuscript

High-level expression and purification of biologically active human IL-2 using silkworm-baculovirus expression vector system

Masato Hino, Takuji Kawanami, Jian Xu, Daisuke Morokuma, Kazuma Hirata, Mami Yamashita, Noriko Karasaki, Tuneyuki Tatsuke, Hiroaki Mon, Kazuhiro Iiyama, Noriho Kamiya, Yutaka Banno, Takahiro Kusakabe, Jae Man Lee

PII: S1226-8615(16)30091-7
DOI: doi: [10.1016/j.aspen.2016.03.014](https://doi.org/10.1016/j.aspen.2016.03.014)
Reference: ASPEN 765

To appear in: *Journal of Asia-Pacific Entomology*

Received date: 26 February 2016
Revised date: 16 March 2016
Accepted date: 23 March 2016

Please cite this article as: Hino, Masato, Kawanami, Takuji, Xu, Jian, Morokuma, Daisuke, Hirata, Kazuma, Yamashita, Mami, Karasaki, Noriko, Tatsuke, Tuneyuki, Mon, Hiroaki, Iiyama, Kazuhiro, Kamiya, Noriho, Banno, Yutaka, Kusakabe, Takahiro, Lee, Jae Man, High-level expression and purification of biologically active human IL-2 using silkworm-baculovirus expression vector system, *Journal of Asia-Pacific Entomology* (2016), doi: [10.1016/j.aspen.2016.03.014](https://doi.org/10.1016/j.aspen.2016.03.014)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



High-level expression and purification of biologically active human IL-2 using silkworm-baculovirus expression vector system

Masato Hino¹, Takuji Kawanami², Jian Xu¹, Daisuke Morokuma¹, Kazuma Hirata¹, Mami Yamashita¹, Noriko Karasaki¹, Tuneyuki Tatsuke¹, Hiroaki Mon¹, Kazuhiro Iiyama³, Noriho Kamiya^{2,4}, Yutaka Banno⁵, Takahiro Kusakabe¹, and Jae Man Lee^{1*}

¹*Laboratory of Insect Genome Science, Kyushu University Graduate School of Bioresource and Bioenvironmental Sciences, Hakozaki 6-10-1, Higashi-ku, Fukuoka 812-8581, Japan*

²*Department of Applied Chemistry, Graduate School of Engineering, Kyushu University, 744 Motoooka, Fukuoka 819-0395, Japan*

³*Laboratory of Insect Pathology and Microbial Control, Institute of Biological Control, Faculty of Agriculture, Graduate School, Kyushu University, Higashi-ku, Fukuoka 812-8581, Japan*

⁴*Division of Biotechnology, Center for Future Chemistry, Kyushu University, 744 Motoooka, Fukuoka 819-0395, Japan*

⁵*Laboratory of Silkworm Genetic Resources, Institute of Genetic Resources, Graduate School of Bio Resources and Bioenvironmental Science, Kyushu University, Higashi-ku, Fukuoka 812-8581, Japan*

*To whom correspondence should be addressed.

E-mail address: jaemanle@agr.kyushu-u.ac.jp (JM. Lee)

Tel. & Fax: +81-92-642-2842

Download English Version:

<https://daneshyari.com/en/article/6380042>

Download Persian Version:

<https://daneshyari.com/article/6380042>

[Daneshyari.com](https://daneshyari.com)