

Accepted Manuscript

Title: Efficiency of Biofloc Technology in Suspended Growth Reactors Treating Aquacultural Solid under Intermittent Aeration

Author: Wenyan Liang Guozhi Luo Hongxin Tan Niannian
Ma Nan Zhang Li Li



PII: S0144-8609(14)00015-6
DOI: <http://dx.doi.org/doi:10.1016/j.aquaeng.2014.02.001>
Reference: AQUE 1731

To appear in: *Aquacultural Engineering*

Received date: 22-10-2013
Revised date: 17-2-2014
Accepted date: 25-2-2014

Please cite this article as: Wenyan LiangGuozhi LuoHongxin TanNiannian MaNan ZHANGLi Li Efficiency of Biofloc Technology in Suspended Growth Reactors Treating Aquacultural Solid under Intermittent Aeration (2014), <http://dx.doi.org/10.1016/j.aquaeng.2014.02.001>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

1 **Efficiency of Biofloc Technology in Suspended Growth Reactors Treating**

2 **Aquacultural Solid under Intermittent Aeration**

3 Wenyan LIANG^{a,b} Guozhi LUO^{a,b,c*} Hongxin TAN^{a,b,c} Niannian MA^a Nan ZHANG^a Li

4 LI^{a,b,c}

5 ^aCollege of Fisheries and Life Science, Shanghai Ocean University, Shanghai 201306,

6 China

7 ^bShanghai Universities Knowledge Service Platform ZF1206, Shanghai 201306, China

8 ^cShanghai Engineering Research Center of Aquaculture, Shanghai 201306, China

9
10 **Corresponding author: Guozhi LUO**, Hucheng Ring Road 999, Institute of

11 Fisheries and Life Science, Shanghai Ocean University, Shanghai 201306, China.

12 Tel.:+86 21 61900413; Fax: +86 21 61900402. *E-mail address*:gzluo@163.com

13 **Abstract**

14 Aquacultural solid waste from a recirculation aquaculture system was used as a
15 substrate to produce heterotrophic bacteria in suspended growth reactors. The
16 efficiency of nitrogen recycling under intermittent aeration (IA, 0.5-h aeration/0.5-h
17 non aeration) and continuous aeration (CA) strategy was investigated. The nitrogen

Download English Version:

<https://daneshyari.com/en/article/6381354>

Download Persian Version:

<https://daneshyari.com/article/6381354>

[Daneshyari.com](https://daneshyari.com)