

Accepted Manuscript

A Coastal Ocean Model with Subgrid Approximation


Roy A. Walters

PII: S1463-5003(16)30010-5
DOI: [10.1016/j.ocemod.2016.04.005](https://doi.org/10.1016/j.ocemod.2016.04.005)
Reference: OCEMOD 1093

To appear in: *Ocean Modelling*

Received date: 3 January 2016
Revised date: 11 April 2016
Accepted date: 16 April 2016

Please cite this article as: Roy A. Walters, A Coastal Ocean Model with Subgrid Approximation, *Ocean Modelling* (2016), doi: [10.1016/j.ocemod.2016.04.005](https://doi.org/10.1016/j.ocemod.2016.04.005)



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- A semi-implicit coastal ocean model balances stability, accuracy, and efficiency.
- Volume averaging is used to approximate subgrid objects of various kinds.
- The methods are applied to tidal power generation.
- Thrust and power coefficients convert from free stream to volume average velocity.
- Three conversion methods are an iterative approach and two analytical mappings.

Download English Version:

<https://daneshyari.com/en/article/6388038>

Download Persian Version:

<https://daneshyari.com/article/6388038>

[Daneshyari.com](https://daneshyari.com)