Accepted Manuscript

Parasitized honey bees are less likely to forage and carry less pollen

Lori Lach, Madlen Kratz, Boris Baer

 PII:
 S0022-2011(15)00116-0

 DOI:
 http://dx.doi.org/10.1016/j.jip.2015.06.003

 Reference:
 YJIPA 6688

To appear in: Journal of Invertebrate Pathology

Received Date:30 April 2015Revised Date:18 June 2015Accepted Date:30 June 2015



Please cite this article as: Lach, L., Kratz, M., Baer, B., Parasitized honey bees are less likely to forage and carry less pollen, *Journal of Invertebrate Pathology* (2015), doi: http://dx.doi.org/10.1016/j.jip.2015.06.003

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Parasitized honey bees are less likely to forage and carry less pollen

Lori Lach^{a,b}, Madlen Kratz^c, Boris Baer^c

^a Centre for Tropical Biodiversity and Climate Change, James Cook University, PO Box 6811, Cairns, Qld 4870 Australia

^b School of Plant Biology, The University of Western Australia, 35 Stirling Hwy, Crawley, WA 6009 Australia

^c Centre for Integrative Bee Research, The University of Western Australia, 35 Stirling Hwy, Crawley, WA 6009 Australia

Corresponding author details:

Dr Lori Lach, James Cook University College of Marine and Environmental Science PO Box 6811 Cairns, Queensland 4870 Australia lori.lach@jcu.edu.au +61 07 4232 1743

Word count: 7284

3 tables, 4 figures

C

Download English Version:

https://daneshyari.com/en/article/6389328

Download Persian Version:

https://daneshyari.com/article/6389328

Daneshyari.com