

Accepted Manuscript


Evidence of early bottom water current flow after the Messinian Salinity Crisis in the Gulf of Cadiz

Marlies van der Schee, F.J. Sierro, F.J. Jiménez-Espejo, F.J. Hernández-Molina, R. Flecker, J.A. Flores, G. Acton, M. Gutjahr, P. Grunert, Á. García-Gallardo, N. Andersen

PII: S0025-3227(16)30051-2
DOI: doi: [10.1016/j.margeo.2016.04.005](https://doi.org/10.1016/j.margeo.2016.04.005)
Reference: MARGO 5441

To appear in: *Marine Geology*

Received date: 19 January 2016
Revised date: 29 March 2016
Accepted date: 3 April 2016



Please cite this article as: van der Schee, Marlies, Sierro, F.J., Jiménez-Espejo, F.J., Hernández-Molina, F.J., Flecker, R., Flores, J.A., Acton, G., Gutjahr, M., Grunert, P., García-Gallardo, Á., Andersen, N., Evidence of early bottom water current flow after the Messinian Salinity Crisis in the Gulf of Cadiz, *Marine Geology* (2016), doi: [10.1016/j.margeo.2016.04.005](https://doi.org/10.1016/j.margeo.2016.04.005)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Evidence of early bottom water current flow after the Messinian Salinity Crisis in the Gulf of Cadiz

Marlies van der Schee*⁽¹⁾, F.J. Sierro⁽¹⁾, F.J. Jiménez-Espejo⁽²⁾, F.J. Hernández-Molina⁽³⁾, R. Flecker⁽⁴⁾, J.A. Flores⁽¹⁾, G. Acton⁽⁵⁾, M. Gutjahr⁽⁶⁾, P. Grunert⁽⁷⁾, Á. García-Gallardo⁽⁷⁾, N. Andersen⁽⁸⁾.

⁽¹⁾ *Dept. de Geología, University of Salamanca, Plaza de los Caídos s/n, 37008, Salamanca, Spain*

⁽²⁾ *Dept. of Biogeosciences, JAMSTEC, Yokosuka 237-0061, Japan*

⁽³⁾ *Dept. Earth Sciences, Royal Holloway Univ. London, Egham, Surrey TW20 0EX, UK*

⁽⁴⁾ *BRIDGE, School of Geographical Sciences, Cabot Institute, University of Bristol, University Road, Bristol, BS8 1SS, UK*

⁽⁵⁾ *Dept. Geography and Geology, Sam Houston State University, Huntsville, Texas, USA 77341-2148*

⁽⁶⁾ *GEOMAR Helmholtz Centre for Ocean Research Kiel, Wischhofstr. 1-3, D-24148, Kiel, Germany*

⁽⁷⁾ *Inst. für Erdwissenschaften, Karl-Franzens-Universität Graz, NAWI-Graz, Heinrichstrasse 26, 8010 Graz, Austria*

⁽⁸⁾ *Leibniz-Laboratory for Radiometric Dating and Isotope Research, Christian-Albrechts-Universität Kiel, Max-Eyth-Str. 11-13, 24118 Kiel, Germany*

* Corresponding author: Marliesvanderschee@usal.es

Keywords: Miocene-Pliocene boundary; Gulf of Cadiz; IODP Expedition 339;

Mediterranean Outflow Water; Messinian Salinity Crisis; Contourites

Download English Version:

<https://daneshyari.com/en/article/6441323>

Download Persian Version:

<https://daneshyari.com/article/6441323>

[Daneshyari.com](https://daneshyari.com)