

Accepted Manuscript

Middle Miocene reworked turbidites in the Baiyun Sag of the Pearl River Mouth Basin, northern South China Sea margin: Flow processes, genesis, and implications

Chenglin Gong, Yingmin Wang, Rongcai Zheng, Francisco J. Hernández-Molina, Yun Li, Dorrik Stow, Qiang Xu, Rachel E. Brackenridge

PII: S1367-9120(16)30204-8
DOI: <http://dx.doi.org/10.1016/j.jseaes.2016.06.025>
Reference: JAES 2745

To appear in: *Journal of Asian Earth Sciences*

Received Date: 5 January 2016
Revised Date: 18 May 2016
Accepted Date: 24 June 2016



Please cite this article as: Gong, C., Wang, Y., Zheng, R., Hernández-Molina, F.J., Li, Y., Stow, D., Xu, Q., Brackenridge, R.E., Middle Miocene reworked turbidites in the Baiyun Sag of the Pearl River Mouth Basin, northern South China Sea margin: Flow processes, genesis, and implications, *Journal of Asian Earth Sciences* (2016), doi: <http://dx.doi.org/10.1016/j.jseaes.2016.06.025>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Middle Miocene reworked turbidites in the Baiyun Sag of the Pearl River Mouth Basin, northern South China Sea margin: Flow processes, genesis, and implications

Chenglin Gong^{a,*}, Yingmin Wang^b, Rongcai Zheng^c, Francisco J. Hernández-Molina^d, Yun Li^c, Dorrik Stow^e, Qiang Xu^f, Rachel E. Brackenridge^e

^a Department of Geological Sciences, Jackson School of Geosciences, University of Texas, Austin, Texas 78712, USA

^b State Key Laboratory of Petroleum Resources and Prospecting (China University of Petroleum, Beijing), Beijing, China

^c State Key Laboratory of Oil & Gas Reservoirs and Exploration, Chengdu, Sichuan Province, 610059, China

^d Department of Earth Sciences, Royal Holloway University of London, Egham, Surrey TW20 0EX, UK

^e Institute of Petroleum Engineering, Heriot Watt University, Edinburgh EH14 4AS, UK

^f CNOOC Research Center, Beijing 100027, China

ABSTRACT

Our understanding of reworked turbidites is still in its infancy, and their flow processes and genesis still remain understudied. Core data from the middle Miocene Zhujiang Formation in the Pearl River Mouth Basin allow us to differentiate reworked turbidites, yielding two main contributions. Firstly, reworked turbidites are distinguished from turbidites by the association of sedimentary structures showing

* Corresponding author
E-mail address: chenglingong@hotmail.com (C. Gong)

Download English Version:

<https://daneshyari.com/en/article/6443955>

Download Persian Version:

<https://daneshyari.com/article/6443955>

[Daneshyari.com](https://daneshyari.com)